



---

# **NEMSiS**

## **Data Dictionary**

**NHTSA v3.3.4**  
**Build 160316 Critical Patch 1**

# **CAD Data Standard**

**Version Date: March 16, 2016**

Funded by  
**National Highway Traffic Safety Administration (NHTSA)**  
**Office of Emergency Medical Services**

[www.NEMSiS.org](http://www.NEMSiS.org)

---

# NEMESIS Data Dictionary Version 3.3.4

## NEMESIS Overview and Summary

This data dictionary represents 24 months of effort collaborating with the EMS industry through web-based reviews, public comment periods, focus groups, industry dialogue, topic focused projects, and consensus. The National EMS Information System Version 3 represents a revision from the existing version 2.1.1 released in 2005. Adopting a broad perspective, the initiative to move to a 3rd version of the NEMESIS data dictionary was fueled by the need to improve data quality, enhance our ability to assess EMS performance, augment the flexibility of the standard for state adoption and, prepare for our initial movement of this standard into Health Level 7 (HL7) for approval as an American National Standards Institute (ANSI) standard. At the time of this initial publication, NEMESIS Version 3 has passed several ballots within HL7 in an effort to be recognized as a federal healthcare information standard. Final HL7 adoption of NEMESIS Version 3 is expected in 2012. HL7 will be the permanent home for the NEMESIS standard once fully adopted and future revisions will occur through the HL7 process.

### NEMESIS Version 3 Element Configuration from v2.2.1

NEMESIS NHTSA Uniform PreHospital Dataset	Version 2.2.1	Version 3
<b>Demographic (Agency) NEMESIS Version 3 Data Elements</b>	<b>110 (26%)</b>	<b>155 (24%)</b>
Existing (version 2.2.1)	88 (80%)	88 (58%)
New		67 (42%)
Retired	22 (20%)	
<b>EMS (ePCR) NEMESIS Version 3 Data Elements</b>	<b>315 (74%)</b>	<b>423 (73%)</b>
Existing (version 2.2.1)	258 (82%)	258 (61%)
New		165 (39%)
Retired	57 (18%)	
<b>Overall Total NEMESIS Version 3 Data Elements</b>	<b>425</b>	<b>578</b>
Existing (version 2.2.1)	346 (81%)	346 (60%)
New		232 (40%)
Retired	79 (19%)	

### NEMESIS Version 3 Element Configuration

Total Elements including the Custom Elements: 574

Excluding the Demographic and EMS (ePCR) Custom Elements: 556

<b>Total National Elements</b>	<b>166</b>	<b>Total State Elements</b>	<b>103</b>	<b>Total "Other" Element</b>	<b>309</b>
Mandatory	37	Recommended	82	Excluding the custom elements	287
Required	129	Optional	21	<b>Demographic (Agency) Elements</b>	<b>88</b>
<b>Demographic (Agency) Elements</b>	<b>35</b>	<b>Demographic (Agency) Elements</b>	<b>32</b>	Excluding the custom elements	77
Mandatory	22	Recommended	32	<b>EMS (ePCR) Elements</b>	<b>221</b>
Required	13	Optional	0	Excluding the custom elements	210
<b>EMS (ePCR) Elements</b>	<b>131</b>	<b>EMS (ePCR) Elements</b>	<b>71</b>		
Mandatory	15	Recommended	50		
Required	116	Optional	21		

### NEMESIS Version 3.3.4 Data Dictionary Content

\*\*Note: The numbers to the right of the content listed below represent the location for each element on the Sample Page of the Data Dictionary (page vi).

#### Data Element Number (#1)

The NEMESIS Version 3 element numbering system has been revised to improve the information that can be derived from just the data element number. An example of a

data element number is dAgency.01.

- The data element number begins with either a "d" representing the demographic (agency) section or an "e" representing the EMS PCR section.
- A one word descriptor for each section is now included in the data element number.
- A period separates the section (e.g. dAgency) from the data element number (e.g. 01).

### **Data Element Name (#3)**

The name for the data element.

### **National and State Element Indicator (#2, #5, #6)**

National = Yes, is an indication that the data element is required to be collected:

- at the local EMS agency level and submitted to the state

State = Yes, is an indication that the data element is recommended to be collected at the "State" level.

### **Data Element Definition (#4)**

The definition for the data element.

### **Version 2 Number (#7)**

The NEMSIS Version 2.2.1 Data Element Number.

If the Data Element is new to Version 3.3.4, the Version 2 Number will be blank.

### **Data Structure Information**

#### **Recurrence (#12)**

- Indication that the data element can have more than one value.  
Represented by two characters separated by a colon. The configuration includes:
  - 0:1 = element is not required and can occur only once
  - 0:M = element is not required and can repeat multiple times
  - 1:1 = element is required and can occur only once
  - 1:M = element is required and can repeat multiple times

#### **Usage (#8)**

- Indication of when the data element is expected to be collected.
  - Mandatory = Must be completed and does not allow for NOT values
  - Required = Must be completed and allows NOT values
  - Recommended = Does not need to be completed and allows NOT values
  - Optional = Does not need to be completed and does not allow for NOT values

#### **NOT Value Characteristics (#10)**

- Indication that the data element can have NOT values.
- NOT Values are used (where permitted) to document that a data element was not applicable to the EMS response / request for service, was not or could not be completed.
- NOT Values are documented as "an attribute" of an element. It allows the documentation of NOT value when a "real" value is not documented. (*Please reference the NEMSIS White Paper describing the use of NOT Values, Pertinent Negatives, and Null.*)

#### **NOT Values Accepted (#14)**

- Indication of which of the following three NOT values is acceptable.
- Not all data elements accept NOT values.

- NOT Values have been condensed in Version 3.  
Not Applicable = *The data element is not applicable or pertinent to the EMS event.*  
Not Recorded = *If a data element was unintentionally left blank the EMS software should auto-populate it with "Not Recorded".*  
Not Reporting = *The data element is not collected by the EMS agency or state. This NOT value does not apply to National elements where "Usage = Required".*

#### Pertinent Negative Values (PN) (#9, #14)

- A list of Pertinent Negative Values which can be associated with a data element.
- Not all data elements accept Pertinent Negative Values.
- Pertinent Negative Values are documented as "an attribute" of an element. It allows the documentation of pertinent negative value in addition to the documentation of a "real" value. (*Please reference the NEMSIS White Paper describing the use of NOT Values, Pertinent Negatives, and Null.*)
- Example of use:  
Example #1 - Aspirin Administration:  
If the medication Aspirin is part of the agency protocol for Chest Pain but was not administered by the responding crew, the reason why should be documented. This is done through the use of Pertinent Negative Values. If the patient took the Aspirin prior to the EMS arrival on scene, the value "Medication Already Taken" should be documented in addition to "Aspirin".

#### Example #2 - Gunshot Wound Entry & Exit Assessment

If the patient was injured by a gunshot the assessment should document not only the entry but the exit of the bullet. In the abdominal assessment if "Gunshot Wound-Entry" was documented in the Right Upper Quadrant the EMS professional should be looking for an exit wound. If upon assessment of the back/spine no "Gunshot Wound-Exit" was identified then both "Gunshot Wound-Exit" and the pertinent negative value of "Exam Finding Not Present" should be documented.

#### Is Nullable (#11)

- Indication that the element can accept a "blank" value.
- If the element is left "blank" the software must submit an appropriate value of one of the two attributes: Pertinent Negative or NOT Values.

#### Associated Performance Measure Initiatives (#13)

Indication that the data element has value in describing, defining, or measuring EMS from a performance perspective. Performance Measures can be associated with EMS service delivery, patient care, or both. The following service delivery or time dependent illness/injury performance measure topics have been included in NEMSIS Version 3:

- Airway - Airway Management
- Cardiac Arrest - Out of Hospital Cardiac Arrest
- Pediatric - Acute Pediatric Care
- Response - EMS Response Time
- STEMI - ST Elevation Myocardial Infarction (STEMI)
- Stroke - Acute Stroke Care
- Trauma - Acute Injury/Trauma Care

#### Attributes (#14)

An attribute provides extra information within an element. For information related to the

first three attributes please see the NEMSIS document 'How to Utilize NEMSIS V3 "NOT values/pertinent negatives/nillable"'. The following are possible attributes:

- PN (Pertinent Negative)
  - 8801001 - Contraindication Noted
  - 8801003 - Denied By Order
  - 8801005 - Exam Finding Not Present
  - 8801007 - Medication Allergy
  - 8801009 - Medication Already Taken
  - 8801013 - No Known Drug Allergies
  - 8801015 - None Reported
  - 8801017 - Not Performed by EMS
  - 8801019 - Refused
  - 8801021 - Unresponsive
  - 8801023 - Unable to Complete
  
- NV (Not Value)
  - 7701001 - Not Applicable
  - 7701003 - Not Recorded
  - 7701005 - Not Reporting
  
- Nillable xsi:nil="true"
  
- Code Type
  - 9924001 - ICD10
  - 9924003 - RxNorm
  
- CorrelationID
  - Date Type = String
  - minLength = 0
  - maxLength = 255
  
- DistanceUnit
  - 9921001 - Kilometers
  - 9921003 - Miles
  
- EmailAddressType
  - 9904001 - Personal
  - 9904003 - Work
  
- nemsisCode
  - Date Type = String
  
- nemsisElement
  - Date Type = String
  
- nemsisValueDescription
  - Date Type = String
  
- PhoneNumberType
  - 9913001 - Fax
  - 9913003 - Home

9913005 - Mobile  
9913007 - Pager  
9913009 - Work

- ProcedureGroupCorrelationID  
Date Type = CorrelationID
- StreetAddress2  
Date Type = String  
minLength = 1  
maxLength = 55
- TIMESTAMP  
Date Type = DateTime  
minValue = 1950-01-01T00:00:00-00:00  
maxValue = 2050-01-01T00:00:00-00:00
- VelocityUnit  
9921001 - Kilometers  
9921003 - Miles

### **Code List (#16)**

A list of values associated with the data element. Not all data elements have predefined value sets.

Codes for each value:

- The codes are based on a 7-digit number, in a 2-2-3 pattern (without dashes).  
The first set of two numbers represent the data section  
The second set of two numbers represent the element number  
The last set is a 3-digit number for each value beginning at 001; The codes increase in increments of two (2).
- Codes are typically sequential (by two) and alphabetical. Some ordering is provided in an effort to present information based on workflow.
- Several values and codes reference external standards such as ICD-10, RxNorm, SNOMED, etc. NEMSIS will assist in providing a recommended list of EMS specific values and codes from these larger standards for most elements using these external standards.

### **Data Element Editorial Comments (#17)**

Comments are provided to describe additions, changes, clarifications, or provide additional insight into the data element.

### **Version 3 Changes Implemented (#18)**

Comments providing insight into specific Version 3 changes such as new or revised data elements.

## **NEMSIS Version 3.3.4 Change Summary**

**NEMSIS Version 3 includes several new types of information to better describe EMS from an industry, workforce, EMS service delivery, and patient care perspective. Examples of new Version 3 content include:**

### **Demographic (Agency) Content**

EMS Agencies can list more than one state in which they offer EMS service delivery.  
EMS Agencies can indicate multiple Agency numbers.  
Multiple EMS Agency contacts can now be managed within the Demographic Section.  
EMS Agency Location and GIS information has been enhanced.  
EMS Professional and Workforce information has been enhanced.

### **EMS (PCR) Content**

EMS Crew level information has been enhanced  
Scene location information has been enhanced to improve geo-coding and location analysis.  
Provider Impression (diagnosis), Symptoms, Cause of Injury, Medical/Surgical History, and Incident Location are now based on ICD-10.  
Procedures are now based on SNOMED.  
Medications are now stored using the RxNorm standard  
Cardiac Arrest information has been enhanced to add focus on CPR and post arrest cooling.  
Automated Collision Notification information has been included.  
The data elements required to document and evaluate the CDC Field Triage Algorithm for trauma have been included.  
Vital Sign and patient monitoring information have been enhanced  
A new section for Laboratory and Diagnostic Imaging results has been added.  
The Exam section has been reconfigured to improve documentation and ease of use.  
Much of the medical device information has been mapped into the vital sign section for direct import via the XML standard.  
Inclusion of electronic signatures and external electronic documents.  
An Airway section has been added to better document and evaluate airway management.  
Improved Work Related Illness and Injury documentation capability.  
Disposition information has been enhanced especially associated with Specialty Centers and time dependent illness/injury Systems of Care.  
EMS Response and Transport Modes have been enhanced to better define emergent, non-emergent, scheduled, and non-scheduled variation.  
EMS Response and Transport Mode Descriptors have been added to allow for documentation of Lights and Sirens Use and Intersection Navigation tools.  
The Payment/Billing section has been greatly expanded to meet current electronic billing requirements.  
Outcome information has been expanded to include additional Emergency Department and Hospital Outcome information (often obtained through linkage).

### **General Improvements**

Version 3 content has focused on objective performance measures to better describe and evaluate EMS service delivery and patient care.  
State level configuration and customized data elements have been enhanced without changing the NEMSIS Version 3 Standard.

19 Deprecated

1 eMedications.01

2 State National

3 eMedications.01 - Date/Time Medication Administered

4 Definition

The date/time medication administered to the patient

5 National Element	Yes	Pertinent Negatives (PN)	Yes	9
6 State Element	Yes	NOT Values	Yes	10
7 Version 2 Element	E18_01	Is Nillable	Yes	11
8 Usage	Required	Recurrence	1 : M	12

13 Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

14 Attributes

**NOT Values**  
7701001 - Not Applicable      7701003 - Not Recorded      7701005 - Not Reporting

**Pertinent Negatives**  
8801001 - Contraindication Noted    8801003 - Denied By Order      8801007 - Medication Allergy  
8801009 - Medication Already Taken    8801019 - Refused      8801023 - Unable to Complete

**Email Address**  
9904001 - Personal    9904003 - Work

**Phone Number**  
9913001 - Fax      9913003 - Home      9913005 - Mobile      9913007 - Pager      9913009 - Work

**Current Status**  
A - Active      I - Inactive

**Current Status Date**  
**Data Type:** DateTime    **minInclusive:** 1950-01-01T00:00:00    **maxInclusive:** 2050-01-01T00:00:00  
**Pattern:** [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Correlation ID**  
**Data Type:** String    **minLength:** 0    **maxLength:** 255

15 Constraints

**Data Type**      **minValue**      **maxValue**  
dateTime      1950-01-01T00:00:00      2050-01-01T00:00:00

**Pattern**  
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

16 Code List

Code	Description
SSEE001	Value A
SSEE003	Value B
SSEE005	Value C

17 Data Element Comment

Comments for this element

18 Version 3 Changes Implemented

Version 3 Changes implemented for this element



# Table of Contents

<b>CADDDataSet</b>	<b>1</b>
CADDDataSet Grouping	2
<b>eCustomConfiguration</b>	<b>3</b>
eCustomConfiguration Grouping	4
eCustomConfiguration.01 - Custom Data Element Title	5
eCustomConfiguration.02 - Custom Definition	6
eCustomConfiguration.03 - Custom Data Type	7
eCustomConfiguration.04 - Custom Data Element Recurrence	8
eCustomConfiguration.05 - Custom Data Element Usage	9
eCustomConfiguration.06 - Custom Data Element Potential Values	10
eCustomConfiguration.07 - Custom Data Element Potential NOT Values (NV)	11
eCustomConfiguration.08 - Custom Data Element Potential Pertinent Negative Values (PN)	12
<b>eCAD</b>	<b>13</b>
eCAD Grouping	14
eCad.01 - EMS Agency Unique State ID	18
eCad.02 - EMS Agency Number	19
eCad.03 - EMS Agency Name	20
eCad.04 - EMS Agency State	21
eCad.05 - Dispatch Center (CAD) Name or ID	22
eCad.06 - Patient Care Report Number	23
eCad.07 - EMS Agency Number	24
eCad.08 - EMS Agency Name	25
eCad.09 - Incident Number	26
eCad.10 - EMS Response Number	27
eCad.11 - Type of Service Requested	28
eCad.12 - Standby Purpose	29
eCad.13 - Primary Role of the Unit	30
eCad.14 - Type of Dispatch Delay	31
eCad.15 - Type of Response Delay	32
eCad.16 - Type of Scene Delay	33
eCad.17 - Type of Transport Delay	34
eCad.18 - Type of Turn-Around Delay	35
eCad.19 - EMS Vehicle (Unit) Number	36
eCad.20 - EMS Unit Call Sign	37
eCad.21 - Level of Care of This Unit	38
eCad.22 - Vehicle Dispatch Location	39
eCad.23 - Vehicle Dispatch GPS Location	40
eCad.24 - Vehicle Dispatch US National Grid Location	41
eCad.25 - Beginning Odometer Reading of Responding Vehicle	42
eCad.26 - On-Scene Odometer Reading of Responding Vehicle	43
eCad.27 - Patient Destination Odometer Reading of Responding Vehicle	44
eCad.28 - Ending Odometer Reading of Responding Vehicle	45
eCad.29 - Response Mode to Scene	46
eCad.30 - Additional Response Mode Descriptors	47
eCad.31 - Complaint Reported by Dispatch	48
eCad.32 - EMD Performed	50

eCad.33 - EMD Card Number	51
eCad.34 - Dispatch Center Name or ID	52
eCad.35 - Dispatch Priority (Patient Acuity)	53
eCad.36 - PSAP Call Date/Time	54
eCad.37 - Dispatch Notified Date/Time	55
eCad.38 - Unit Notified by Dispatch Date/Time	56
eCad.39 - Dispatch Acknowledged Date/Time	57
eCad.40 - Unit En Route Date/Time	58
eCad.41 - Unit Arrived on Scene Date/Time	59
eCad.42 - Arrived at Patient Date/Time	60
eCad.43 - Transfer of EMS Patient Care Date/Time	61
eCad.44 - Unit Left Scene Date/Time	62
eCad.45 - Arrival at Destination Landing Area Date/Time	63
eCad.46 - Patient Arrived at Destination Date/Time	64
eCad.47 - Destination Patient Transfer of Care Date/Time	65
eCad.48 - Unit Back in Service Date/Time	66
eCad.49 - Unit Canceled Date/Time	67
eCad.50 - Unit Back at Home Location Date/Time	68
eCad.51 - EMS Call Completed Date/Time	69
eCad.52 - EMS Patient ID	70
eCad.53 - Last Name	71
eCad.54 - First Name	72
eCad.55 - Middle Initial/Name	73
eCad.56 - Patient's Home Address	74
eCad.57 - Patient's Home City	75
eCad.58 - Patient's Home County	76
eCad.59 - Patient's Home State	77
eCad.60 - Patient's Home ZIP Code	78
eCad.61 - Patient's Home Country	79
eCad.62 - Patient Home Census Tract	80
eCad.63 - Social Security Number	81
eCad.64 - Gender	82
eCad.65 - Race	83
eCad.66 - Age	84
eCad.67 - Age Units	85
eCad.68 - Date of Birth	86
eCad.69 - Patient's Phone Number	87
eCad.70 - First EMS Unit on Scene	88
eCad.71 - Other EMS or Public Safety Agencies at Scene	89
eCad.72 - Other EMS or Public Safety Agency ID Number	90
eCad.73 - Type of Other Service at Scene	91
eCad.74 - Date/Time Initial Responder Arrived on Scene	92
eCad.75 - Number of Patients at Scene	93
eCad.76 - Mass Casualty Incident	94
eCad.77 - Triage Classification for MCI Patient	95
eCad.78 - Incident Location Type	96
eCad.79 - Incident Facility Code	97
eCad.80 - Scene GPS Location	98
eCad.81 - Scene US National Grid Coordinates	99
eCad.82 - Incident Facility or Location Name	100
eCad.83 - Mile Post or Major Roadway	101

eCad.84 - Incident Street Address	102
eCad.85 - Incident Apartment, Suite, or Room	103
eCad.86 - Incident City	104
eCad.87 - Incident State	105
eCad.88 - Incident ZIP Code	106
eCad.89 - Scene Cross Street or Directions	107
eCad.90 - Incident County	108
eCad.91 - Incident Country	109
eCad.92 - Incident Census Tract	110
eCad.93 - Destination/Transferred To, Name	111
eCad.94 - Destination/Transferred To, Code	112
eCad.95 - Destination Street Address	113
eCad.96 - Destination City	114
eCad.97 - Destination State	115
eCad.98 - Destination County	116
eCad.99 - Destination ZIP Code	117
eCad.100 - Destination Country	118
eCad.101 - Destination GPS Location	119
eCad.102 - Disposition Location US National Grid Coordinates	120
eCad.103 - Number of Patients Transported in this EMS Unit	121
eCad.104 - EMS Transport Method	122
eCad.105 - Transport Mode from Scene	123
eCad.106 - Additional Transport Mode Descriptors	124
eCad.107 - Type of Destination	125
eCad.108 - Destination Team Pre-Arrival Activation	126
eCad.109 - Date/Time of Destination Prearrival Activation	127

<b>eCustomResults</b>	<b>128</b>
-----------------------	------------

eCustomResults Grouping	129
eCustomResults.01 - Custom Data Element Result	130
eCustomResults.02 - Custom Element ID Referenced	131
eCustomResults.03 - CorrelationID of PatientCareReport Element or Group	132

# CADDDataSet

<b>Legend</b>	Dataset Level: <span style="background-color: red; color: white;">N</span> National <span style="background-color: yellow; color: black;">S</span> State
	Usage: <span style="background-color: gray;">M</span> = Mandatory , <span style="background-color: gray;">R</span> = Required , <span style="background-color: gray;">E</span> = Recommended, or <span style="background-color: gray;">O</span> = Optional
	Attributes: <span style="background-color: gray;">N</span> = Not Values, <span style="background-color: gray;">P</span> = Pertinent Negatives , <span style="background-color: gray;">L</span> = Nillable, and/or <span style="background-color: gray;">C</span> = Correlation ID

## CADDDataSet

0 : 1	eCustomConfiguration
1 : 1	eCAD
0 : 1	eCustomResults

## CADDDataSet

# eCustomConfiguration

**Legend**      Dataset Level: N National    S State    D Deprecated

Usage:   M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes:   N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

## eCustomConfiguration

0 : M	eCustomConfiguration.CustomGroup	
1 : 1	eCustomConfiguration.01 - Custom Data Element Title	M
1 : 1	eCustomConfiguration.02 - Custom Definition	M
1 : 1	eCustomConfiguration.03 - Custom Data Type	M
1 : 1	eCustomConfiguration.04 - Custom Data Element Recurrence	M
1 : 1	eCustomConfiguration.05 - Custom Data Element Usage	M
0 : M	eCustomConfiguration.06 - Custom Data Element Potential Values	O
0 : M	eCustomConfiguration.07 - Custom Data Element Potential NOT Values (NV)	O
0 : M	eCustomConfiguration.08 - Custom Data Element Potential Pertinent Negative Values (PN)	O

## eCustomConfiguration

**eCustomConfiguration.01 - Custom Data Element Title**

**Definition**

This is the title of the custom data element created to collect information that is not defined formally in NEMSIS Version 3.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

**Attributes**

**nemsisElement**

**Data Type:** anySimpleType **whiteSpace:** preserve

**Constraints**

Data Type	minLength	maxLength
string	2	100

**Data Element Comment**

This is grouped with all data elements in this section and can have multiple instances.

**Version 3 Changes Implemented**

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.



**eCustomConfiguration.02 - Custom Definition**

**Definition**

The definition of the custom element and how it should be used.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

**Constraints**

<b>Data Type</b>	<b>minLength</b>	<b>maxLength</b>
string	0	255

**Data Element Comment**

**eCustomConfiguration.03 - Custom Data Type**

**Definition**

The data type of the custom element.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

**Code List**

Code	Description
9902001	Binary
9902003	Date/Time
9902005	Integer/Number
9902007	Other (Not Listed)
9902009	Text/String
9902011	Boolean

**Data Element Comment**

**eCustomConfiguration.04 - Custom Data Element Recurrence**

**Definition**

Indication if the data element will accept multiple values.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

**Code List**

Code	Description
9923001	No
9923003	Yes

**Data Element Comment**

**Version 3 Changes Implemented**

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

**eCustomConfiguration.05 - Custom Data Element Usage**

**Definition**

The Usage (Mandatory, Required, Recommended or Optional) for the Custom Data Element.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

**Code List**

Code	Description
9903001	Mandatory
9903003	Required
9903005	Recommended
9903007	Optional

**Data Element Comment**

Mandatory = Must be completed and will not accept null values  
 Required = Must be completed but will accept null values  
 Recommended = Not required but if collected will accept null values  
 Optional = Not required but if collected, it cannot be a null value.

**Version 3 Changes Implemented**

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

**eCustomConfiguration.06 - Custom Data Element Potential Values**

**Definition**

The values which are associated with the Custom Data Element. Values would be the choices provided to the user when they document the Custom Data Element

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

**Attributes**

**nemsisCode**  
**Data Type:** anySimpleType **whiteSpace:** preserve  
**customValueDescription**  
**Data Type:** anySimpleType **whiteSpace:** preserve

**Constraints**

Data Type	minLength	maxLength
string	1	100

**Data Element Comment**

**Version 3 Changes Implemented**

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

**eCustomConfiguration.07 - Custom Data Element Potential NOT Values (NV)**

**Definition**

NOT Values (NV) associated with the custom element

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

**Code List**

Code	Description
7701001	Not Applicable
7701003	Not Recorded
7701005	Not Reporting

**Data Element Comment**

**eCustomConfiguration.08 - Custom Data Element Potential Pertinent Negative Values (PN)**

**Definition**

Pertinent Negative Values (PN) associated with the custom element

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

**Code List**

Code	Description
8801001	Contraindication Noted
8801003	Denied By Order
8801005	Exam Finding Not Present
8801007	Medication Allergy
8801009	Medication Already Taken
8801013	No Known Drug Allergy
8801015	None Reported
8801017	Not Performed by EMS
8801019	Refused
8801021	Unresponsive
8801023	Unable to Complete

**Data Element Comment**

# eCAD





1:1	eCad.31 - (eDispatch.01) Complaint Reported by Dispatch	N	S	M
0:1	eCad.32 - (eDispatch.02) EMD Performed			O
0:1	eCad.33 - (eDispatch.03) EMD Card Number			O
0:1	eCad.34 - (eDispatch.04) Dispatch Center Name or ID			O
0:1	eCad.35 - (eDispatch.05) Dispatch Priority (Patient Acuity)			O
0:1	eCad.36 - (eTimes.01) PSAP Call Date/Time			O
0:1	eCad.37 - (eTimes.02) Dispatch Notified Date/Time			O
1:1	eCad.38 - (eTimes.03) Unit Notified by Dispatch Date/Time	N	S	M
0:1	eCad.39 - (eTimes.04) Dispatch Acknowledged Date/Time			O
0:1	eCad.40 - (eTimes.05) Unit En Route Date/Time			O
0:1	eCad.41 - (eTimes.06) Unit Arrived on Scene Date/Time			O
0:1	eCad.42 - (eTimes.07) Arrived at Patient Date/Time			O
0:1	eCad.43 - (eTimes.08) Transfer of EMS Patient Care Date/Time			O
0:1	eCad.44 - (eTimes.09) Unit Left Scene Date/Time			O
0:1	eCad.45 - (eTimes.10) Arrival at Destination Landing Area Date/Time			O
0:1	eCad.46 - (eTimes.11) Patient Arrived at Destination Date/Time			O
0:1	eCad.47 - (eTimes.12) Destination Patient Transfer of Care Date/Time			O
0:1	eCad.48 - (eTimes.13) Unit Back in Service Date/Time			O
0:1	eCad.49 - (eTimes.14) Unit Canceled Date/Time			O
0:1	eCad.50 - (eTimes.15) Unit Back at Home Location Date/Time			O
0:1	eCad.51 - (eTimes.16) EMS Call Completed Date/Time			O
0:1	eCad.52 - (ePatient.01) EMS Patient ID			O
0:1	eCad.PatientNameGroup			
0:1	eCad.53 - (ePatient.02) Last Name			O
0:1	eCad.54 - (ePatient.03) First Name			O
0:1	eCad.55 - (ePatient.04) Middle Initial/Name			O
0:1	eCad.56 - (ePatient.05) Patient's Home Address			O
0:1	eCad.57 - (ePatient.06) Patient's Home City			O
0:1	eCad.58 - (ePatient.07) Patient's Home County			O
0:1	eCad.59 - (ePatient.08) Patient's Home State			O
0:1	eCad.60 - (ePatient.09) Patient's Home ZIP Code			O
0:1	eCad.61 - (ePatient.10) Patient's Home Country			O
0:1	eCad.62 - (ePatient.11) Patient Home Census Tract			O
0:1	eCad.63 - (ePatient.12) Social Security Number			O
0:1	eCad.64 - (ePatient.13) Gender			O
0:M	eCad.65 - (ePatient.14) Race			O C

0:1	eCad.AgeGroup	
0:1	eCad.66 - (ePatient.15) Age	<input type="radio"/>
0:1	eCad.67 - (ePatient.16) Age Units	<input type="radio"/>
0:1	eCad.68 - (ePatient.17) Date of Birth	<input type="radio"/>
0:M	eCad.69 - (ePatient.18) Patient's Phone Number	<input type="radio"/> C
0:1	eCad.70 - (eScene.01) First EMS Unit on Scene	<input type="radio"/>
0:M	eCad.ResponderGroup	C
0:1	eCad.71 - (eScene.02) Other EMS or Public Safety Agencies at Scene	<input type="radio"/>
0:1	eCad.72 - (eScene.03) Other EMS or Public Safety Agency ID Number	<input type="radio"/>
0:1	eCad.73 - (eScene.04) Type of Other Service at Scene	<input type="radio"/>
0:1	eCad.74 - (eScene.05) Date/Time Initial Responder Arrived on Scene	<input type="radio"/>
0:1	eCad.75 - (eScene.06) Number of Patients at Scene	<input type="radio"/>
0:1	eCad.76 - (eScene.07) Mass Casualty Incident	<input type="radio"/>
0:1	eCad.77 - (eScene.08) Triage Classification for MCI Patient	<input type="radio"/>
0:1	eCad.78 - (eScene.09) Incident Location Type	<input type="radio"/>
0:1	eCad.79 - (eScene.10) Incident Facility Code	<input type="radio"/>
0:1	eCad.80 - (eScene.11) Scene GPS Location	<input type="radio"/>
0:1	eCad.81 - (eScene.12) Scene US National Grid Coordinates	<input type="radio"/>
0:1	eCad.82 - (eScene.13) Incident Facility or Location Name	<input type="radio"/>
0:1	eCad.83 - (eScene.14) Mile Post or Major Roadway	<input type="radio"/>
0:1	eCad.84 - (eScene.15) Incident Street Address	<input type="radio"/>
0:1	eCad.85 - (eScene.16) Incident Apartment, Suite, or Room	<input type="radio"/>
0:1	eCad.86 - (eScene.17) Incident City	<input type="radio"/>
0:1	eCad.87 - (eScene.18) Incident State	<input type="radio"/>
0:1	eCad.88 - (eScene.19) Incident ZIP Code	<input type="radio"/>
0:1	eCad.89 - (eScene.20) Scene Cross Street or Directions	<input type="radio"/>
0:1	eCad.90 - (eScene.21) Incident County	<input type="radio"/>
0:1	eCad.91 - (eScene.22) Incident Country	<input type="radio"/>
0:1	eCad.92 - (eScene.23) Incident Census Tract	<input type="radio"/>
0:1	eCad.DestinationGroup	
0:1	eCad.93 - (eDisposition.01) Destination/Transferred To, Name	<input type="radio"/>
0:1	eCad.94 - (eDisposition.02) Destination/Transferred To, Code	<input type="radio"/>
0:1	eCad.95 - (eDisposition.03) Destination Street Address	<input type="radio"/>
0:1	eCad.96 - (eDisposition.04) Destination City	<input type="radio"/>
0:1	eCad.97 - (eDisposition.05) Destination State	<input type="radio"/>
0:1	eCad.98 - (eDisposition.06) Destination County	<input type="radio"/>

0:1	eCad.99 - (eDisposition.07) Destination ZIP Code	O
0:1	eCad.100 - (eDisposition.08) Destination Country	O
0:1	eCad.101 - (eDisposition.09) Destination GPS Location	O
0:1	eCad.102 - (eDisposition.10) Disposition Location US National Grid Coordinates	O
0:1	eCad.103 - (eDisposition.11) Number of Patients Transported in this EMS Unit	O
0:1	eCad.104 - (eDisposition.16) EMS Transport Method	O
0:1	eCad.105 - (eDisposition.17) Transport Mode from Scene	O
0:M	eCad.106 - (eDisposition.18) Additional Transport Mode Descriptors	O C
0:1	eCad.107 - (eDisposition.21) Type of Destination	O
0:M	eCad.HospitalTeamActivationGroup	C
0:1	eCad.108 - (eDisposition.24) Destination Team Pre-Arrival Activation	O
0:1	eCad.109 - (eDisposition.25) Date/Time of Destination Prearrival Activation	O

## eCAD

**eCad.01 - EMS Agency Unique State ID**

**Definition**

The unique ID assigned to the EMS Agency which is associated with all state licensure numbers and information.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

Data Type	minLength	maxLength
string	1	50

**Data Element Comment**

This may be the EMS Agency Name or a unique number assigned by the state EMS office. This is required to document multiple license types and numbers associated with the same EMS Agency.

**eCad.02 - EMS Agency Number**

**Definition**

The state-assigned provider number of the responding agency

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D01_01	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

Data Type	minLength	maxLength
string	1	15

**Data Element Comment**

This is the primary identifier for the entire Demographic Section. Each of the Demographic sections must be associated with an EMS Agency Number. An EMS Agency can have more than one Agency Number within a state. This reflects the ability for an EMS Agency to have a different number for each service type or location (based on state implementation).

**eCad.03 - EMS Agency Name**

**Definition**

The formal name of the agency.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D01_02	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

Data Type	minLength	maxLength
string	2	100

**Data Element Comment**

**eCad.04 - EMS Agency State**

**Definition**

The state/territory which assigned the EMS agency number.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D01_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

Data Type	length
string	2

**Data Element Comment**

This has been clarified to reflect that it is the state in which the EMS Agency resides and the state associated with the EMS Agency number.

GNIS Codes Website: [http://geonames.usgs.gov/domestic/download\\_data.htm](http://geonames.usgs.gov/domestic/download_data.htm)



**eCad.05 - Dispatch Center (CAD) Name or ID**

**Definition**

The name or ID of the dispatch center providing electronic data to the PCR for the EMS agency, if applicable.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

**Attributes**

**CorrelationID**  
**Data Type:** string      **minLength:** 0      **maxLength:** 255

**Constraints**

Data Type	minLength	maxLength
string	2	100

**Data Element Comment**

This element can be used to identify the dispatch center (Primary or Secondary Service Answering Point - PSAP) that dispatches the EMS agency. If the EMS agency is able to populate the Patient Care Report (PCR) with CAD specific details (times, incident address information, crew information, EMD, etc) the name or ID of the dispatch center should be documented. Information in dConfiguration.17 may be used to populate eDispatch.04 - Computer Aided Dispatch (CAD) Name or ID if a CAD integration exists.

**Version 3 Changes Implemented**

Added to the dataset to assist in identifying the CAD / dispatch center providing information to the EMS agency and ePCR when there are multiple dispatch centers sending resources to the same EMS incident.

**eCad.06 - Patient Care Report Number**

**Definition**

The unique number automatically assigned by the EMS agency for each Patient Care Report (PCR). This should be a unique number for the EMS agency for all of time.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E01_01	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

Data Type	minLength	maxLength
string	3	32

**Data Element Comment**

State

National

**eCad.07 - EMS Agency Number**

**Definition**

The state-assigned provider number of the responding agency

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

Data Type	minLength	maxLength
string	1	15

**Data Element Comment**

The EMS Agency Number in eResponse.01 can auto-populate from dAgency.02 EMS Agency Number in the demographic section.

State

**eCad.08 - EMS Agency Name**

Definition

EMS Agency Name

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Recommended	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

Added to better identify the EMS Agency associated with the EMS event.

State

National

**eCad.09 - Incident Number**

**Definition**

The incident number assigned by the 911 Dispatch System

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

**Attributes**

**NOT Values (NV)**  
 7701001 - Not Applicable                      7701003 - Not Recorded

**Constraints**

Data Type	minLength	maxLength
string	3	32

**Data Element Comment**

This number can be used to associate multiple EMS responses, dispatch information, and other information to the same EMS event or patient.

**eCad.10 - EMS Response Number**

**Definition**

The internal EMS response number which is unique for each EMS Vehicle's (Unit) response to an incident within an EMS Agency.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

Data Type	minLength	maxLength
string	3	32

**Data Element Comment**

**eCad.11 - Type of Service Requested**

**Definition**

The type of service or category of service requested of the EMS Agency responding for this specific EMS event

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Code List**

Code	Description
2205001	911 Response (Scene)
2205003	Intercept
2205005	Interfacility Transport
2205007	Medical Transport
2205009	Mutual Aid
2205011	Public Assistance/Other Not Listed
2205013	Standby

**Data Element Comment**

?Interfacility Transfer? has been changed to ?Interfacility Transport. ?Public Assistance/Other Not Listed? added for EMS expanded scope events such as elderly assistance, injury prevention, public education, immunization programs, etc.

**eCad.12 - Standby Purpose**

**Definition**

The main reason the EMS Unit is on Standby as the Primary Type of Service for the EMS event.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Code List**

Code	Description
2206001	Disaster Event-Drill/Exercise
2206003	Disaster Event-Live Staging
2206005	Education
2206007	EMS Staging-Improve Coverage
2206009	Fire Support-Rehab
2206011	Fire Support-Standby
2206013	Mass Gathering-Concert/Entertainment Event
2206015	Mass Gathering-Fair/Community Event
2206017	Mass Gathering-Sporting Event
2206019	Other (Not Listed)
2206021	Public Safety Support

**Data Element Comment**

Added to document the reason for ?Standby? when populated in eResponse.05 (Type of Service Requested). This information will assist in administrative analysis of EMS service delivery, special event coverage, etc.



**eCad.13 - Primary Role of the Unit**

**Definition**

The Primary role of the EMS Unit which responded to this specific EMS event

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Code List**

Code	Description
2207001	Air Transport <span style="font-size:8px;background:purple;color:white;padding:1px;">DEPRECATED</span>
2207003	Ground Transport
2207005	Non-Transport Administrative (e.g., Supervisor)
2207007	Non-Transport Assistance
2207009	Non-Transport Rescue
2207011	Air Transport-Helicopter
2207013	Air Transport-Fixed Wing

**Data Element Comment**

Supervisor clarified to Administrative Only. if the Supervisor is responding to assist, that would be considered Non-Transport. Transport separated into Air and Ground. In Version 2 there was no way to identify Air Transport.

**eCad.14 - Type of Dispatch Delay**

**Definition**

The dispatch delays, if any, associated with the dispatch of the EMS unit to the EMS event.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_06	Is Nillable	No
Usage	Optional	Recurrence	0 : M

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Attributes**

**CorrelationID**

**Data Type:** string      **minLength:** 0      **maxLength:** 255

**Code List**

Code	Description
2208001	Caller (Uncooperative)
2208003	Diversion/Failure (of previous unit)
2208005	High Call Volume
2208007	Language Barrier
2208009	Location (Inability to Obtain)
2208011	No EMS Vehicles (Units) Available
2208013	None/No Delay
2208015	Other (Not Listed)
2208017	Technical Failure (Computer, Phone etc.)

**Data Element Comment**

A dispatch delay is any time delay that occurs from the time of PSAP call (eTimes.01) to the time the unit is notified by dispatch (eTimes.03).

**eCad.15 - Type of Response Delay**

**Definition**

The response delays, if any, of the EMS unit associated with the EMS event.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_07	Is Nillable	No
Usage	Optional	Recurrence	0 : M

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Attributes**

**CorrelationID**

**Data Type:** string      **minLength:** 0      **maxLength:** 255

**Code List**

Code	Description
2209001	Crowd
2209003	Directions/Unable to Locate
2209005	Distance
2209007	Diversion (Different Incident)
2209009	HazMat
2209011	None/No Delay
2209013	Other (Not Listed)
2209015	Rendezvous Transport Unavailable
2209017	Route Obstruction (e.g., train)
2209019	Scene Safety (Not Secure for EMS)
2209021	Staff Delay
2209023	Traffic
2209025	Vehicle Crash Involving this Unit
2209027	Vehicle Failure of this Unit
2209029	Weather
2209031	Mechanical Issue-Unit, Equipment, etc.
2209033	Flight Planning

**Data Element Comment**

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc to return to service.

A response delay is any time delay that occurs from the time the unit is notified by dispatch (eTimes.03) to the time the unit arrived on scene (eTimes.06).

**eCad.16 - Type of Scene Delay**

**Definition**

The scene delays, if any, of the EMS unit associated with the EMS event.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_08	Is Nillable	No
Usage	Optional	Recurrence	0 : M

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Attributes**

**CorrelationID**

**Data Type:** string      **minLength:** 0      **maxLength:** 255

**Code List**

Code	Description
2210001	Awaiting Air Unit
2210003	Awaiting Ground Unit
2210005	Crowd
2210007	Directions/Unable to Locate
2210009	Distance
2210011	Extrication
2210013	HazMat
2210015	Language Barrier
2210017	None/No Delay
2210019	Other (Not Listed)
2210021	Patient Access
2210023	Safety-Crew/Staging
2210025	Safety-Patient
2210027	Staff Delay
2210029	Traffic
2210031	Triage/Multiple Patients
2210033	Vehicle Crash Involving this Unit
2210035	Vehicle Failure of this Unit
2210037	Weather
2210039	Mechanical Issue-Unit, Equipment, etc

**Data Element Comment**

A scene delay is any time delay that occurs from the time the unit arrived on scene (eTimes.06) to the time the unit left the scene (eTimes.09).

**eCad.17 - Type of Transport Delay**

**Definition**

The transport delays, if any, of the EMS unit associated with the EMS event.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_09	Is Nillable	No
Usage	Optional	Recurrence	0 : M

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Attributes**

**CorrelationID**

**Data Type:** string      **minLength:** 0      **maxLength:** 255

**Code List**

Code	Description
2211001	Crowd
2211003	Directions/Unable to Locate
2211005	Distance
2211007	Diversion
2211009	HazMat
2211011	None/No Delay
2211013	Other (Not Listed)
2211015	Rendezvous Transport Unavailable
2211017	Route Obstruction (e.g., Train)
2211019	Safety
2211021	Staff Delay
2211023	Traffic
2211025	Vehicle Crash Involving this Unit
2211027	Vehicle Failure of this Unit
2211029	Weather
2211031	Patient Condition Change (e.g. Unit Stopped)

**Data Element Comment**

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc.

A transport delay is any time delay that occurs from the time the unit left the scene (eTimes.09) to the time the patient arrived at the destination (eTimes.10).

**eCad.18 - Type of Turn-Around Delay**

**Definition**

The turn-around delays, if any, of EMS unit associated with the EMS event.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_10	Is Nillable	No
Usage	Optional	Recurrence	0 : M

**Associated Performance Measure Initiatives**

Response

**Attributes**

**CorrelationID**

**Data Type:** string      **minLength:** 0      **maxLength:** 255

**Code List**

Code	Description
2212001	Clean-up
2212003	Decontamination
2212005	Distance
2212007	Documentation
2212009	ED Overcrowding / Transfer of Care
2212011	Equipment Failure
2212013	Equipment/Supply Replenishment
2212015	None/No Delay
2212017	Other (Not Listed)
2212019	Rendezvous Transport Unavailable
2212021	Route Obstruction (e.g. Train)
2212023	Staff Delay
2212025	Traffic
2212027	Vehicle Crash of this Unit
2212029	Vehicle Failure of this Unit
2212031	Weather
2212033	EMS Crew Accompanies Patient for Facility Procedure

**Data Element Comment**

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc to return to service.

If a patient is being transported by the unit, turn-around delay is any time delay that occurs from the time the patient arrived at the destination (eTimes.10) until the time the unit is back in service (eTimes.13) or unit back at the home location (eTimes15) [whichever is the greater of the two times].

If no patient is being transported by the unit, turn-around delay is any time delay that occurs from the time the unit arrived on scene (eTimes.06) until the unit is back in service (eTimes.13) or the unit back at the home location (eTimes.15) [whichever is the greater of the two times].

**eCad.19 - EMS Vehicle (Unit) Number**

**Definition**

The unique physical vehicle number of the responding unit.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_11	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

Data Type	minLength	maxLength
string	1	25

**Data Element Comment**

This is recommended to be the State Vehicle Permit Number if unique to the vehicle. If the vehicle is not licensed by the state, this should be a unique number only associated with a specific vehicle. This element should be populated from dVehicle.01 - Unit/Vehicle Number.

**eCad.20 - EMS Unit Call Sign**

**Definition**

The EMS unit number used to dispatch and communicate with the unit. This may be the same as the EMS Unit/Vehicle Number in many agencies.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_12	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

Data Type	minLength	maxLength
string	1	50

**Data Element Comment**

"This element could be populated from a list created in dVehicle.03 EMS Unit Call Sign or dConfiguration.16 (Crew Call Sign).



**eCad.21 - Level of Care of This Unit**

**Definition**

The level of care (BLS or ALS) the unit is able to provide based on the units? treatment capabilities for this EMS response.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Code List**

Code	Description
2215001	BLS-First Responder/EMR
2215003	BLS-Basic /EMT
2215005	BLS-AEMT
2215007	BLS-Intermediate
2215023	BLS-Community Paramedicine
2215009	ALS-AEMT
2215011	ALS-Intermediate
2215013	ALS-Paramedic
2215015	ALS-Community Paramedicine
2215017	ALS-Nurse
2215019	ALS-Physician
2215021	Specialty Critical Care

**Data Element Comment**

Added to identify the level of care (license level) the EMS unit/crew can provide regardless of patient need, based on this unit?s capabilities.

For example, if a unit/crew is staffed with an EMT-Intermediate or EMT-Paramedic but the unit is either licensed or stocked at a BLS level the appropriate level of care is "BLS-Basic?. This is because the care provided to patients is limited to BLS skills.

**eCad.22 - Vehicle Dispatch Location**

**Definition**

The EMS Location or healthcare facility name representing the geographic location of the vehicle at the time of dispatch.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_13	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

Data Type	minLength	maxLength
string	2	100

**Data Element Comment**

This element can be populated from dLocation.02 EMS Location Name or dFacility information. Depending on the information the EMS Agency or State is interested in knowing the following elements can be utilized:

1. dLocation.02 EMS Location Name
2. dFacility.02 Facility Name
3. dFacility.03 Facility Code
4. dFacility.15 Facility GPS Location

**eCad.23 - Vehicle Dispatch GPS Location**

**Definition**

The GPS coordinates associated with the EMS unit at the time of dispatch documented in decimal degrees.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_15	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Response

**Constraints**

**Pattern**

(\+|-)?(90(\.[0]{1,6})?|((1-8)[0-9][0-9])(\.[0-9]{1,6})?).(\+|-)?(180(\.[0]{1,6})?|(1[0-7][0-9][1-9][0-9][0-9])(\.[0-9]{1,6})?)

**Data Element Comment**

The pattern for GPS location is in the format "*latitude,longitude*" where:  
 - *latitude* has a minimum of -90 and a maximum of 90 with up to 6 decimal places  
 - *longitude* has a minimum of -180 and a maximum of 180 with up to 6 decimal places

**eCad.24 - Vehicle Dispatch US National Grid Location**

**Definition**

The US National Grid Coordinates for the EMS Vehicle's Dispatch Location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

**Pattern**

[1][0-9][R,S,T,U][ABCDEFGHJKLMNPQRSTUVWXYZ][ABCDEFGHJKLMNPQRSTUVWXYZ][0-9]{8}

**Data Element Comment**

Standard found at [www.fgdc.gov/usng](http://www.fgdc.gov/usng). Used by the EMS components of US Governmental entities such as national parks and military agencies.

**eCad.25 - Beginning Odometer Reading of Responding Vehicle**

**Definition**

The mileage (counter or odometer reading) of the vehicle at the beginning of the call (when the wheels begin moving). If EMS vehicle/unit is via water or air travel document the number in "hours" as it relates to the documentation of Boat, Fixed Wing, or Rotor Craft in eDisposition.16 (EMS Transport Method)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_16	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>fractionDigits</b>	<b>totalDigits</b>
decimal	2	8

**Data Element Comment**

If a mileage counter is being used instead of an odometer, this value would be 0.

**eCad.26 - On-Scene Odometer Reading of Responding Vehicle**

**Definition**

The mileage (counter or odometer reading) of the vehicle when it arrives at the scene. If EMS vehicle/unit is via water or air travel document the number in "hours" as it relates to the documentation of Boat, Fixed Wing, or Rotor Craft in eDisposition.16 (EMS Transport Method)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_17	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>fractionDigits</b>	<b>totalDigits</b>
decimal	2	8

**Data Element Comment**

If using a counter, this is the mileage traveled from dispatch to the scene starting from 0.

**eCad.27 - Patient Destination Odometer Reading of Responding Vehicle**

**Definition**

The mileage (counter or odometer reading) of the vehicle when it arrives at the patient's destination. If EMS vehicle/unit is via water or air travel document the number in "hours" as it relates to the documentation of Boat, Fixed Wing, or Rotor Craft in eDisposition.16 (EMS Transport Method)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_18	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>fractionDigits</b>	<b>totalDigits</b>
decimal	2	8

**Data Element Comment**

If using a counter, this is the mileage traveled from dispatch to the patient's transport destination starting from 0.

**eCad.28 - Ending Odometer Reading of Responding Vehicle**

**Definition**

If using a counter, this is the mileage traveled beginning with dispatch through the transport of the patient to their destination and ending when back in service, starting from 0. If EMS vehicle/unit is via water or air travel document the number in "hours" as it relates to the documentation of boat, Fixed Wing, or Rotor Craft in eDisposition.16

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_19	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>fractionDigits</b>	<b>totalDigits</b>
decimal	2	8

**Data Element Comment**



**eCad.29 - Response Mode to Scene**

**Definition**

The indication whether the response was emergent or non-emergent. An emergent response is an immediate response (typically using lights and sirens).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_20	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Code List**

Code	Description
2223001	Emergent (Immediate Response)
2223003	Emergent Downgraded to Non-Emergent
2223005	Non-Emergent
2223007	Non-Emergent Upgraded to Emergent

**Data Element Comment**

Information now split between eResponse.21 (Response Mode to Scene) and eResponse.22 (Additional Response Mode Descriptors)

**eCad.30 - Additional Response Mode Descriptors**

**Definition**

The documentation of response mode techniques used for this EMS response.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Attributes**

**CorrelationID**  
**Data Type:** string      **minLength:** 0      **maxLength:** 255

**Code List**

Code	Description
2224001	Intersection Navigation-Against Normal Light Patterns
2224003	Intersection Navigation-With Automated Light Changing Technology
2224005	Intersection Navigation-With Normal Light Patterns
2224007	Scheduled
2224009	Speed-Enhanced per Local Policy
2224011	Speed-Normal Traffic
2224013	Unscheduled
2224015	Lights and Sirens
2224017	Lights and No Sirens
2224019	No Lights or Sirens
2224021	Initial No Lights or Sirens, Upgraded to Lights and Sirens
2224023	Initial Lights and Sirens, Downgraded to No Lights or Sirens

**Data Element Comment**

Descriptors have been added to better describe the EMS Response. This includes information on whether the EMS event was schedule or unscheduled.

**eCad.31 - Complaint Reported by Dispatch**

**Definition**

The complaint dispatch reported to the responding unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E03_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Code List**

Code	Description
2301001	Abdominal Pain/Problems
2301003	Allergic Reaction/Stings
2301005	Animal Bite
2301007	Assault
2301009	Automated Crash Notification
2301011	Back Pain (Non-Traumatic)
2301013	Breathing Problem
2301015	Burns/Explosion
2301017	Carbon Monoxide/Hazmat/Inhalation/CBRN
2301019	Cardiac Arrest/Death
2301021	Chest Pain (Non-Traumatic)
2301023	Choking
2301025	Convulsions/Seizure
2301027	Diabetic Problem
2301029	Electrocution/Lightning
2301031	Eye Problem/Injury
2301033	Falls
2301035	Fire
2301037	Headache
2301039	Healthcare Professional/Admission
2301041	Heart Problems/AICD
2301043	Heat/Cold Exposure
2301045	Hemorrhage/Laceration
2301047	Industrial Accident/Inaccessible Incident/Other Entrapments (Non-Vehicle)
2301049	Medical Alarm
2301051	No Other Appropriate Choice
2301053	Overdose/Poisoning/Ingestion
2301055	Pandemic/Epidemic/Outbreak
2301057	Pregnancy/Childbirth/Miscarriage
2301059	Psychiatric Problem/Abnormal Behavior/Suicide Attempt
2301061	Sick Person
2301063	Stab/Gunshot Wound/Penetrating Trauma
2301065	Standby
2301067	Stroke/CVA
2301069	Traffic/Transportation Incident
2301071	Transfer/Interfacility/Palliative Care
2301073	Traumatic Injury
2301075	Well Person Check
2301077	Unconscious/Fainting/Near-Fainting
2301079	Unknown Problem/Person Down
2301081	Drowning/Diving/SCUBA Accident
2301083	Airmedical Transport

**Data Element Comment**

Added Pandemic/Epidemic/Outbreak.  
 Added Automated Crash Notification

Added Healthcare Professional Admission  
Added Interfacility/Evaluation/Transfer  
- Other entries expanded based on current national EMD Dispatch List

**eCad.32 - EMD Performed**

**Definition**

Indication of whether Emergency Medical Dispatch was performed for this EMS event.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E03_02	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Code List**

Code	Description
2302001	No
2302003	Yes, With Pre-Arrival Instructions
2302005	Yes, Without Pre-Arrival Instructions
2302007	Yes, Unknown if Pre-Arrival Instructions Given

**Data Element Comment**

**eCad.33 - EMD Card Number**

**Definition**

The EMD card number reported by dispatch, consisting of the card number, dispatch level, and dispatch mode

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E03_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

Data Type	minLength	maxLength
string	1	10

**Data Element Comment**

**eCad.34 - Dispatch Center Name or ID**

**Definition**

The name or ID of the dispatch center providing electronic data to the PCR for the EMS agency, if applicable.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

Data Type	minLength	maxLength
string	2	100

**Data Element Comment**

This element can be used to identify the dispatch center (Primary or Secondary Public Safety Answering Point - PSAP) that dispatches the EMS agency. If the EMS agency is able to populate the Patient Care Report (PCR) with CAD specific details (times, incident address information, crew information, EMD, etc) the name or ID of the dispatch center should be documented.

**Version 3 Changes Implemented**

Added to the dataset to assist in identifying the CAD / dispatch center providing information to the EMS agency and ePCR when there are multiple dispatch centers sending resources to the same EMS incident.

**eCad.35 - Dispatch Priority (Patient Acuity)**

**Definition**

The actual, apparent, or potential acuity of the patient's condition as determined through information obtained during the EMD process.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Code List**

Code	Description
2305001	Priority 1 (Critical)
2305003	Priority 2 (Emergent)
2305005	Priority 3 (Lower Acuity)
2305007	Priority 4 (Non-Acute [e.g. Scheduled Transfer or Standby])

**Data Element Comment**

The use of priority and acuity values vary by EMS agency. Some systems may utilize fewer than four priority levels and some more. The use of four priority levels is to capture the majority and allow for the inclusion of the NHTSA National EMS Core Content definitions for patient acuity, specifically: Critical, Emergent, and Lower Acuity.

For EMS Agencies and CAD / EMD systems utilizing Alpha-Echo, Omega levels for determining the priority level for dispatch of the EMS unit, the recommended mapping is:

Echo = Priority 1	Charlie = Priority 2	Alpha = Priority 3
Delta = Priority 1	Bravo = Priority 2	Omega = Priority 4

- Priority 1 is typically an emergent (lights and sirens) response
- Priority 2 is typically an emergent response without the use lights and sirens
- Priority 3 is typically a non-emergent response for nursing home, hospital-to-hospital transfers, etc.
- Priority 4 is typically a scheduled response (scheduled transfer) or standby event

Definitions related to "Critical, Emergent, and Lower Acuity" can be found in the National EMS Core Content document from NHTSA EMS (DOT HS 809-898 July 2005) at <http://www.nhtsa.gov/people/injury/ems/emscorecontent/images/EMSCoreContent.pdf>



**eCad.36 - PSAP Call Date/Time**

**Definition**

The date/time the phone rings (911 call to public safety answering point or other designated entity) requesting EMS services.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E05_02	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

This date/time might be the same as Dispatch Notified Date/Time (eTimes.02).

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.37 - Dispatch Notified Date/Time**

**Definition**

The date/time dispatch was notified by the 911 call taker (if a separate entity).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E05_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

This date/time might be the same as PSAP Call Date/Time (eTimes.01).

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.38 - Unit Notified by Dispatch Date/Time**

**Definition**

The date/time the responding unit was notified by dispatch.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E05_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.39 - Dispatch Acknowledged Date/Time**

**Definition**

The date/time the dispatch was acknowledged by the EMS Unit.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-[0-9]{2}:[0-9]{2})

**Data Element Comment**

This is the end of turnout time or the beginning of response time. Added per Fire Service to better calculate NFPA 1710.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.40 - Unit En Route Date/Time**

**Definition**

The date/time the unit responded; that is, the time the vehicle started moving.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E05_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.41 - Unit Arrived on Scene Date/Time**

**Definition**

The date/time the responding unit arrived on the scene; that is, the time the vehicle stopped moving at the scene.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E05_06	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\\+|\\-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.42 - Arrived at Patient Date/Time**

**Definition**

The date/time the responding unit arrived at the patient's side.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E05_07	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.43 - Transfer of EMS Patient Care Date/Time**

**Definition**

The date/time the patient was transferred from this EMS agency to another EMS agency for care.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E05_08	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    STEMI    Stroke    Trauma

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration



**eCad.44 - Unit Left Scene Date/Time**

**Definition**

The date/time the responding unit left the scene with a patient (started moving).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E05_09	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.45 - Arrival at Destination Landing Area Date/Time**

**Definition**

The date/time the Air Medical vehicle arrived at the destination landing area.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.46 - Patient Arrived at Destination Date/Time**

**Definition**

The date/time the responding unit arrived with the patient at the destination or transfer point.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E05_10	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.47 - Destination Patient Transfer of Care Date/Time**

**Definition**

The date/time that patient care was transferred to the destination healthcare facilities staff.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

This was added to better document delays in ED transfer of care due to ED crowding or other issues beyond EMS control.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.48 - Unit Back in Service Date/Time**

**Definition**

The date/time the unit back was back in service and available for response (finished with call, but not necessarily back in home location).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E05_11	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Response

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.49 - Unit Canceled Date/Time**

**Definition**

The date/time the unit was canceled.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E05_12	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Response

**Constraints**

<b>Data Type</b> dateTime	<b>minInclusive</b> 1950-01-01T00:00:00-00:00	<b>maxInclusive</b> 2050-01-01T00:00:00-00:00
------------------------------	--	--

**Pattern**  
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

This date/time is to be documented if the unit went en route but neither arrived on scene nor made patient contact.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.50 - Unit Back at Home Location Date/Time**

**Definition**

The date/time the responding unit was back in their service area. With agencies who utilized Agency Status Management, home location means the service area as assigned through the agency status management protocol.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E05_13	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Response

**Constraints**

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\\+|\\-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.51 - EMS Call Completed Date/Time**

**Definition**

The date/time the responding unit completed all tasks associated with the event including transfer of the patient, and such things as cleaning and restocking.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Response

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

For many EMS agencies, this would equal Unit Back in Service Date/Time (eTimes.13) if no travel is required to be back in service.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration



**eCad.52 - EMS Patient ID**

**Definition**

The unique ID for the patient within the Agency

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

Data Type	minLength	maxLength
string	2	100

**Data Element Comment**

This has been inserted to allow each patient to be tracked across multiple PCRs within an EMS Agency.

**eCad.53 - Last Name**

**Definition**

The patient's last (family) name

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_01	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>minLength</b>	<b>maxLength</b>
string	1	50

**Data Element Comment**

Pertinent negatives accepted with option of "Unable to Complete" or "Refused".

**eCad.54 - First Name**

**Definition**

The patient's first (given) name

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_02	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>minLength</b>	<b>maxLength</b>
string	1	50

**Data Element Comment**

Pertinent negatives accepted with option of "Unable to Complete" or "Refused".

**eCad.55 - Middle Initial/Name**

**Definition**

The patient's middle name, if any

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>minLength</b>	<b>maxLength</b>
string	1	50

**Data Element Comment**

**eCad.56 - Patient's Home Address**

**Definition**

The patient's home mailing or street address

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Attributes**

**StreetAddress2**

**Data Type:** string      **minLength:** 1      **maxLength:** 55

**Constraints**

Data Type	minLength	maxLength
string	1	55

**Data Element Comment**

This is a CMS standard. According to the Medicare Claims Processing Manual, Chapter 15 - Ambulance, Ambulance suppliers bill using CMS-1500 form or CMS-1450 form for institution-based ambulance providers. This standard adheres to CMS-1500 and 1450.

**eCad.57 - Patient's Home City**

**Definition**

The patient's home city or township or residence

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Data Element Comment**

Based on GNIS Civil Code or Populated Place code.

GNIS Codes Website: [http://geonames.usgs.gov/domestic/download\\_data.htm](http://geonames.usgs.gov/domestic/download_data.htm)

**eCad.58 - Patient's Home County**

**Definition**

The patient's home county or parish or residence

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_06	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

Data Type	length
string	5

**Data Element Comment**

Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: [http://geonames.usgs.gov/domestic/download\\_data.htm](http://geonames.usgs.gov/domestic/download_data.htm)

**eCad.59 - Patient's Home State**

**Definition**

The patient's home state, territory, or province, or District of Columbia, where the patient resides.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_07	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

Data Type	length
string	2

**Data Element Comment**

The ANSI Code Selection by text but stored as ANSI code.

GNIS Codes Website: [http://geonames.usgs.gov/domestic/download\\_data.htm](http://geonames.usgs.gov/domestic/download_data.htm)



**eCad.60 - Patient's Home ZIP Code**

**Definition**

The patient's home ZIP code of residence

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_08	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

**Pattern**  
 [0-9]{5}||[0-9]{5}-[0-9]{4}||[0-9]{5}-[0-9]{5}||[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

**Data Element Comment**

ZIP Codes Product Website: <https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/>  
 Product: USA - 5-digit ZIP Code Database, Commercial Edition

**eCad.61 - Patient's Home Country**

**Definition**

The country in which the patient lives.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_09	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>length</b>
string	2

**Data Element Comment**

Based on the ISO Country Code.

ANSI Country Codes (ISO 3166) Website: [http://www.iso.org/iso/country\\_codes/iso\\_3166\\_code\\_lists.htm](http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm)

**eCad.62 - Patient Home Census Tract**

**Definition**

The census tract in which the patient lives

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

**Pattern**  
[0-9]{11}

**Data Element Comment**

Census Tract Data Website (files and descriptions): [http://www.census.gov/geo/www/2010census/tract\\_rel/tract\\_rel.html](http://www.census.gov/geo/www/2010census/tract_rel/tract_rel.html)

**eCad.63 - Social Security Number**

**Definition**

The patient's social security number

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_10	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b> integer	<b>maxInclusive</b> 999999999	<b>minInclusive</b> 000000000
-----------------------------	----------------------------------	----------------------------------

**Data Element Comment**

**eCad.64 - Gender**

**Definition**

The Patient's Gender

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_11	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Code List**

Code	Description
9906001	Female
9906003	Male
9906005	Unknown (Unable to Determine)

**Data Element Comment**

**eCad.65 - Race**

**Definition**

The patient's race as defined by the OMB (US Office of Management and Budget)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_12	Is Nillable	No
Usage	Optional	Recurrence	0 : M

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Attributes**

**CorrelationID**  
**Data Type:** string      **minLength:** 0      **maxLength:** 255

**Code List**

Code	Description
2514001	American Indian or Alaska Native
2514003	Asian
2514005	Black or African American
2514007	Hispanic or Latino
2514009	Native Hawaiian or Other Pacific Islander
2514011	White

**Data Element Comment**

OMB requirements are provided at: <http://www.omhrc.gov/templates/browse.aspx?lvl=2&lvlID=172>. Using single multiple choice question methodology to improve the completion of ethnicity information.

Ethnicity (Version 2.2.1: E06\_13) has been merged with this data element and retired.

**eCad.66 - Age**

**Definition**

The patient's age (either calculated from date of birth or best approximation)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_14	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
integer	1	120

**Data Element Comment**

**eCad.67 - Age Units**

**Definition**

The unit used to define the patient's age

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_15	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Code List**

Code	Description
2516001	Days
2516003	Hours
2516005	Minutes
2516007	Months
2516009	Years

**Data Element Comment**



**eCad.68 - Date of Birth**

**Definition**

The patient's date of birth

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_16	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
date	1890-01-01	2050-01-01

**Data Element Comment**

**eCad.69 - Patient's Phone Number**

**Definition**

The patient's home or primary phone number

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_17	Is Nillable	No
Usage	Optional	Recurrence	0 : M

**Attributes**

**CorrelationID**

**Data Type:** string      **minLength:** 0      **maxLength:** 255

**PhoneNumberType**

9913001 - Fax                                      9913003 - Home                                      9913005 - Mobile  
 9913007 - Pager                                      9913009 - Work

**Constraints**

**Pattern**

[2-9][0-9][0-9]-[2-9][0-9][0-9]-[0-9][0-9][0-9][0-9]

**Data Element Comment**

**eCad.70 - First EMS Unit on Scene**

**Definition**

Documentation that this EMS Unit was the first EMS Unit for the EMS Agency on the Scene

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Code List**

Code	Description
9923001	No
9923003	Yes

**Data Element Comment**

Added to improve the evaluation of Response Times when multiple EMS units are responding to the same scene.

**eCad.71 - Other EMS or Public Safety Agencies at Scene**

**Definition**

Other EMS agency names that were at the scene, if any

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_01	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>minLength</b>	<b>maxLength</b>
string	2	100

**Data Element Comment**

**eCad.72 - Other EMS or Public Safety Agency ID Number**

**Definition**

The ID number for the EMS Agency or Other Public Safety listed in eScene.02

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>minLength</b>	<b>maxLength</b>
string	1	25

**Data Element Comment**

The ID should be the state ID (license number) for the EMS agency or ID number for the law enforcement. This may be an ID assigned by the state or created by the EMS agency.

**eCad.73 - Type of Other Service at Scene**

**Definition**

The type of public safety or EMS service associated with Other Agencies on Scene

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_02	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Code List**

Code	Description
2704001	EMS Mutual Aid
2704003	Fire
2704005	First Responder
2704007	Hazmat
2704009	Law
2704011	Other
2704013	Other EMS Agency
2704015	Other Health Care Provider
2704017	Rescue
2704019	Utilities

**Data Element Comment**

Associated with each Other Service in eScene.02

**eCad.74 - Date/Time Initial Responder Arrived on Scene**

**Definition**

The time that the initial responder arrived on the scene, if applicable.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    STEMI    Trauma

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

**Pattern**  
 [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

**Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**eCad.75 - Number of Patients at Scene**

**Definition**

Indicator of how many total patients were at the scene

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Code List**

Code	Description
2707001	Multiple
2707003	None
2707005	Single

**Data Element Comment**



**eCad.76 - Mass Casualty Incident**

**Definition**

Indicator if this event would be considered a mass casualty incident (overwhelmed existing EMS resources)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_06	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Trauma

**Code List**

Code	Description
9923001	No
9923003	Yes

**Data Element Comment**

**eCad.77 - Triage Classification for MCI Patient**

**Definition**

The color associated with the initial triage assessment/classification of the MCI patient.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Code List**

Code	Description
2708001	Red - Immediate
2708003	Yellow - Delayed
2708005	Green - Minimal (Minor)
2708007	Gray - Expectant
2708009	Black - Deceased

**Data Element Comment**

This element is documented when eScene.07 (Mass Casualty Incident) = Yes.

Examples of triage systems include START and SALT.

Adapted from: SALT mass casualty triage: concept endorsed by the American College of Emergency Physicians, American College of Surgeons Committee on Trauma, American Trauma Society, National Association of EMS Physicians, National Disaster Life Support Education Consortium, and State and Territorial Injury Prevention Directors Association. Disaster Med Public Health Prep. 2008 Dec;2(4):245-6.

START reference: Benson M, Koenig KL, Schultz CH. Disaster triage: START, then SAVE-a new method of dynamic triage for victims of a catastrophic earthquake. Prehospital Disaster Med. 1996; Apr-Jun; 11(2): 117-24

**eCad.78 - Incident Location Type**

**Definition**

The kind of location where the incident happened

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_07	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

**Pattern**  
Y92\.[0-9]{1,3}

**Data Element Comment**

Code list is represented in ICD-10-CM: Place of Occurrence of the external cause (Y92.0-Y92.9).

ICD-10-CM  
Website - <http://uts.nlm.nih.gov>  
Product - UMLS Metathesaurus

**eCad.79 - Incident Facility Code**

**Definition**

The state, regulatory, or other unique number (code) associated with the facility if the Incident is a Healthcare Facility.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_08	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

Data Type	minLength	maxLength
string	2	50

**Data Element Comment**

This may be populated from a list created within dFacility.03 (Facility Location Code) or dFacility.05 (Facility National Provider Identifier).

**eCad.80 - Scene GPS Location**

**Definition**

The GPS coordinates associated with the Scene.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_10	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

**Pattern**  
 (\+|-)?(90(\.[0]{1,6})?|((1-8)[0-9][0-9])(\.[0-9]{1,6})?).(\+|-)?(180(\.[0]{1,6})?|(1[0-7][0-9][1-9][0-9][0-9])(\.[0-9]{1,6})?)

**Data Element Comment**

The pattern for GPS location is in the format "*latitude,longitude*" where:  
 - *latitude* has a minimum of -90 and a maximum of 90 with up to 6 decimal places  
 - *longitude* has a minimum of -180 and a maximum of 180 with up to 6 decimal places

**eCad.81 - Scene US National Grid Coordinates**

**Definition**

The US National Grid Coordinates for the Scene.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

**Pattern**  
 [1][0-9][R,S,T,U][ABCDEFGHJKLMNPQRSTUVWXYZ][ABCDEFGHJKLMNPQRSTUVWXYZ][0-9]{8}

**Data Element Comment**

Standard found at [www.fgdc.gov/usng](http://www.fgdc.gov/usng)

**eCad.82 - Incident Facility or Location Name**

**Definition**

The name of the facility, business, building, etc. associated with the scene of the EMS event.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

Data Type	minLength	maxLength
string	2	100

**Data Element Comment**

This element may be populated from a list created within dFacility.02 (Facility Name).

**eCad.83 - Mile Post or Major Roadway**

**Definition**

The mile post or major roadway associated with the incident locations

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>maxLength</b>	<b>minLength</b>
string	35	2

**Data Element Comment**



**eCad.84 - Incident Street Address**

**Definition**

?The street address where the patient was found, or, if no patient, the address to which the unit responded.?

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_11	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Attributes**

**StreetAddress2**  
**Data Type:** string      **minLength:** 1      **maxLength:** 55

**Constraints**

Data Type	minLength	maxLength
string	1	55

**Data Element Comment**

This is a CMS standard. According to the Medicare Claims Processing Manual, Chapter 15 - Ambulance, Ambulance suppliers bill using CMS-1500 form or CMS-1450 form for institution-based ambulance providers.

**eCad.85 - Incident Apartment, Suite, or Room**

**Definition**

The number of the specific apartment, suite, or room where the incident occurred.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>minLength</b>	<b>maxLength</b>
string	1	15

**Data Element Comment**

**eCad.86 - Incident City**

**Definition**

The city or township (if applicable) where the patient was found or to which the unit responded (or best approximation)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_12	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Data Element Comment**

Based on GNIS Civil Code or Populated Place code.

GNIS Codes Website: [http://geonames.usgs.gov/domestic/download\\_data.htm](http://geonames.usgs.gov/domestic/download_data.htm)

**eCad.87 - Incident State**

**Definition**

The state, territory, or province where the patient was found or to which the unit responded (or best approximation)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_14	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

Data Type	length
string	2

**Data Element Comment**

Based on the ANSI State Code.

GNIS Codes Website: [http://geonames.usgs.gov/domestic/download\\_data.htm](http://geonames.usgs.gov/domestic/download_data.htm)

**eCad.88 - Incident ZIP Code**

**Definition**

The ZIP code of the incident location

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_15	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

**Pattern**  
 [0-9]{5}[[0-9]{5}-[0-9]{4}][0-9]{5}-[0-9]{5}][A-Z][0-9][A-Z] [0-9][A-Z][0-9]

**Data Element Comment**

ZIP Codes Product Website: <https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/>  
 Product: USA - 5-digit ZIP Code Database, Commercial Edition

**eCad.89 - Scene Cross Street or Directions**

**Definition**

The nearest cross street to the incident address or directions from a recognized landmark or the second street name of an intersection.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

Data Type	minLength	maxLength
string	2	50

**Data Element Comment**

**Version 3 Changes Implemented**

Added to better locate/document the scene (incident) location.

**eCad.90 - Incident County**

**Definition**

The county or parish where the patient was found or to which the unit responded (or best approximation)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_13	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

Data Type	length
string	5

**Data Element Comment**

Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: [http://geonames.usgs.gov/domestic/download\\_data.htm](http://geonames.usgs.gov/domestic/download_data.htm)

**eCad.91 - Incident Country**

**Definition**

The country of the incident location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

Data Type	length
string	2

**Data Element Comment**

Based on the ISO Country Code.

ANSI Country Codes (ISO 3166) Website: [http://www.iso.org/iso/country\\_codes/iso\\_3166\\_code\\_lists.htm](http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm)

**Version 3 Changes Implemented**

Added for international compatibility.



**eCad.92 - Incident Census Tract**

**Definition**

The census tract in which the incident occurred.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

**Pattern**  
[0-9]{11}

**Data Element Comment**

Census Tract Data Website (files and descriptions): [http://www.census.gov/geo/www/2010census/tract\\_rel/tract\\_rel.html](http://www.census.gov/geo/www/2010census/tract_rel/tract_rel.html)

**Version 3 Changes Implemented**

Added to improve the ability to use census and other demographic information within EMS research.

**eCad.93 - Destination/Transferred To, Name**

**Definition**

The destination the patient was delivered or transferred to.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_01	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    STEMI    Stroke    Trauma

**Constraints**

Data Type	minLength	maxLength
string	2	100

**Data Element Comment**

Recommended State data element since no national code for destination. May be populated from the list in dFacility.02 (Facility Name).

**eCad.94 - Destination/Transferred To, Code**

**Definition**

The code of the destination the patient was delivered or transferred to.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_02	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    STEMI    Stroke    Trauma

**Constraints**

Data Type	minLength	maxLength
string	2	50

**Data Element Comment**

May be populated from list in dFacility.03 (Facility Location Code) or dFacility.05 (Facility National Provider Identifier) if a health care facility. NPI codes can be found on the NEMESIS SharePoint site.

**eCad.95 - Destination Street Address**

**Definition**

The street address of the destination the patient was delivered or transferred to.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Attributes**

**StreetAddress2**  
**Data Type:** string      **minLength:** 1      **maxLength:** 55

**Constraints**

Data Type	minLength	maxLength
string	1	55

**Data Element Comment**

May be auto-populated if list created in dFacility.07 (Facility Street Address).

**eCad.96 - Destination City**

**Definition**

The city name of the destination the patient was delivered or transferred to.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Data Element Comment**

Based on GNIS Civil Code or Populated Place code. May be auto-populated if list created in dFacility.08 (Facility City).

GNIS Codes Website: [http://geonames.usgs.gov/domestic/download\\_data.htm](http://geonames.usgs.gov/domestic/download_data.htm)

**eCad.97 - Destination State**

**Definition**

The state of the destination the patient was delivered or transferred to.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

Data Type	length
string	2

**Data Element Comment**

Based on the ANSI Code. May be auto-populated if list created in dFacility.09 (Facility State).

GNIS Codes Website: [http://geonames.usgs.gov/domestic/download\\_data.htm](http://geonames.usgs.gov/domestic/download_data.htm)

**eCad.98 - Destination County**

**Definition**

The destination county in which the patient was delivered or transferred to.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_06	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

Data Type	length
string	5

**Data Element Comment**

May be auto-populated if list created in dFacility.11 (Facility County). Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: [http://geonames.usgs.gov/domestic/download\\_data.htm](http://geonames.usgs.gov/domestic/download_data.htm)

**eCad.99 - Destination ZIP Code**

**Definition**

The destination ZIP code in which the patient was delivered or transferred to.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_07	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Constraints**

**Pattern**  
 [0-9]{5}||[0-9]{5}-[0-9]{4}||[0-9]{5}-[0-9]{5}||[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

**Data Element Comment**

May be auto-populated if list created in dFacility.10 (Facility ZIP Code).

ZIP Codes Product Website: <https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/>  
 Product: USA - 5-digit ZIP Code Database, Commercial Edition



**eCad.100 - Destination Country**

**Definition**

The country of the destination.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

Data Type	length
string	2

**Data Element Comment**

May be auto-populated if list created in dFacility.12 (Facility Country).

ANSI Country Codes (ISO 3166) Website: [http://www.iso.org/iso/country\\_codes/iso\\_3166\\_code\\_lists.htm](http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm)

**Version 3 Changes Implemented**

Added for improved international compatibility.

**eCad.101 - Destination GPS Location**

**Definition**

The destination GPS Coordinates to which the patient was delivered or transferred to.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_08	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

**Pattern**  
 (^+|-)?(90(\.[0]{1,6})?|((1-8)[0-9][0-9])(\.[0-9]{1,6})?).(^+|-)?(180(\.[0]{1,6})?|(1[0-7][0-9][1-9][0-9][0-9])(\.[0-9]{1,6})?)

**Data Element Comment**

May be auto-populated if list created in dFacility.13 (Facility GPS Location).

- The pattern for GPS location is in the format "*latitude,longitude*" where:
- *latitude* has a minimum of -90 and a maximum of 90 with up to 6 decimal places
  - *longitude* has a minimum of -180 and a maximum of 180 with up to 6 decimal places

**eCad.102 - Disposition Location US National Grid Coordinates**

**Definition**

The US National Grid Coordinates for the Disposition Location. This may be the Healthcare Facility US National Grid Coordinates.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

**Pattern**  
 [1][0-9][R,S,T,U][ABCDEFGHJKLMNPQRSTUVWXYZ][ABCDEFGHJKLMNPQRSTUV][0-9]{8}

**Data Element Comment**

Standard found at [www.fgdc.gov/usng](http://www.fgdc.gov/usng).  
 Through programming this may be partially auto-populated if the list is created in dFacility.14 (Facility US National Grid Coordinates).

**eCad.103 - Number of Patients Transported in this EMS Unit**

**Definition**

The number of patients transported by this EMS crew and unit.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
positiveInteger	1	100

**Data Element Comment**

Added to document multiple patients being transported with the same vehicle and crew.

**Version 3 Changes Implemented**

Added to document multiple patients being transported with the same vehicle and crew.

**eCad.104 - EMS Transport Method**

**Definition**

Transport method by this EMS Unit.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Code List**

Code	Description
4216001	Air Medical-Fixed Wing
4216003	Air Medical-Rotor Craft
4216005	Ground-Ambulance
4216007	Ground-ATV or Rescue Vehicle
4216009	Ground-Bariatric
4216011	Ground-Other Not Listed
4216013	Ground-Mass Casualty Bus/Vehicle
4216015	Ground-Wheelchair Van
4216017	Water-Boat

**Data Element Comment**

Required if the patient is transported by EMS.

**Version 3 Changes Implemented**

Added to better describe Air and Ground Transport methods.

**eCad.105 - Transport Mode from Scene**

**Definition**

Indication whether the transport was emergent or non-emergent.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_14	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Code List**

Code	Description
4217001	Emergent (Immediate Response)
4217003	Emergent Downgraded to Non-Emergent
4217005	Non-Emergent
4217007	Non-Emergent Upgraded to Emergent

**Data Element Comment**

Information now split between eDisposition.17 (Transport Mode from Scene) and eDisposition.18 (Additional Transport Mode Descriptors). Element eDisposition.18 (Additional Transport Mode Descriptors) has been added to document the use of lights and sirens or other descriptive information.

**eCad.106 - Additional Transport Mode Descriptors**

**Definition**

The documentation of transport mode techniques for this EMS response.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

**Attributes**

**CorrelationID**  
**Data Type:** string      **minLength:** 0      **maxLength:** 255

**Code List**

Code	Description
4218001	Intersection Navigation-Against Normal Light Patterns
4218003	Intersection Navigation-With Automated Light Changing Technology
4218005	Intersection Navigation-With Normal Light Patterns
4218007	Speed-Enhanced per Local Policy
4218009	Speed-Normal Traffic
4218011	Lights and Sirens
4218013	Lights and No Sirens
4218015	No Lights or Sirens
4218017	Initial No Lights or Sirens, Upgraded to Lights and Sirens
4218019	Initial Lights and Sirens, Downgraded to No Lights or Sirens

**Data Element Comment**

Information now split between eDisposition.17 (Transport Mode from Scene) and eDisposition.18 (Additional Transport Mode Descriptors). Element eDisposition.18 (Additional Transport Mode Descriptors) has been added to document the use of lights and sirens or other descriptive information.

**eCad.107 - Type of Destination**

**Definition**

The type of destination the patient was delivered or transferred to

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_17	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    Response    STEMI    Stroke    Trauma

**Code List**

Code	Description
4221001	Home
4221003	Hospital-Emergency Department
4221005	Hospital-Non-Emergency Department Bed
4221007	Medical Office/Clinic
4221009	Morgue/Mortuary
4221011	Nursing Home/Assisted Living Facility
4221013	Other (Not Listed)
4221015	Other EMS Responder (air)
4221017	Other EMS Responder (ground)
4221019	Police/Jail
4221021	Urgent Care
4221023	Freestanding Emergency Department

**Data Element Comment**

Required if Patient Transported by EMS. ?Hospital-In Patient Bed? includes any location in the hospital except the Emergency Department. Choices include those in eDisposition.22 (Hospital In-Patient Destination).



**eCad.108 - Destination Team Pre-Arrival Activation**

**Definition**

Activation of the Destination Healthcare Facility Team prior to EMS arrival for acute ill or injured patient.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Cardiac Arrest    STEMI    Stroke    Trauma

**Code List**

Code	Description
4224001	No
4224003	Yes-Adult Trauma
4224005	Yes-Cardiac Arrest
4224007	Yes-Obstetrics
4224009	Yes-Other
4224011	Yes-Pediatric Trauma
4224013	Yes-STEMI
4224015	Yes-Stroke
4224017	Yes-Trauma (General)

**Data Element Comment**

**Version 3 Changes Implemented**

Added to better document performance measure for acute time dependent illness and injury systems of care.

**eCad.109 - Date/Time of Destination Prerival Activation**

**Definition**

Date/Time EMS Notified/Activated the Destination Healthcare Facility Team prior to EMS arrival for acute ill or injured patient.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Associated Performance Measure Initiatives**

Airway    Cardiac Arrest    Pediatric    STEMI    Stroke    Trauma

**Constraints**

<b>Data Type</b>	<b>minInclusive</b>	<b>maxInclusive</b>
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00
<b>Pattern</b>		
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+ -)[0-9]{2}:[0-9]{2}		

**Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**Version 3 Changes Implemented**

Added to better document performance measure for acute time dependent illness and injury systems of care.

# eCustomResults

<b>Legend</b>	Dataset Level: <span style="color: red;">N</span> National <span style="color: yellow;">S</span> State <span style="color: purple;">D</span> Deprecated
	Usage: <span style="border: 1px solid black; padding: 0 2px;">M</span> = Mandatory , <span style="border: 1px solid black; padding: 0 2px;">R</span> = Required , <span style="border: 1px solid black; padding: 0 2px;">E</span> = Recommended, or <span style="border: 1px solid black; padding: 0 2px;">O</span> = Optional
	Attributes: <span style="border: 1px solid black; padding: 0 2px;">N</span> = Not Values, <span style="border: 1px solid black; padding: 0 2px;">P</span> = Pertinent Negatives , <span style="border: 1px solid black; padding: 0 2px;">L</span> = Nillable, and/or <span style="border: 1px solid black; padding: 0 2px;">C</span> = Correlation ID

## eCustomResults

0 : M	eCustomResults.ResultsGroup						C
1 : M	eCustomResults.01 - Custom Data Element Result			M			N, L, P
1 : 1	eCustomResults.02 - Custom Element ID Referenced			M			
0 : 1	eCustomResults.03 - CorrelationID of PatientCareReport Element or Group			O			

## eCustomResults

**eCustomResults.01 - Custom Data Element Result**

**Definition**

The actual value or values chosen (if values listed in eCustomConfiguration.06) or result (free text, Date/Time, or number) documented for the Custom Data Element

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Mandatory	Recurrence	1 : M

**Attributes**

**NOT Values (NV)**

**Pertinent Negatives (PN)**

**NV**

7701001 - Not Applicable                      7701003 - Not Recorded                      7701005 - Not Reporting

**PN**

8801001 - Contraindication Noted                      8801003 - Denied By Order                      8801005 - Exam Finding Not Present  
 8801007 - Medication Allergy                      8801009 - Medication Already Taken                      8801013 - No Known Drug Allergy  
 8801015 - None Reported                      8801017 - Not Performed by EMS                      8801019 - Refused  
 8801021 - Unresponsive                      8801023 - Unable to Complete

**Constraints**

Data Type	minLength	maxLength
string	1	100000

**Data Element Comment**

**Version 3 Changes Implemented**

Added to allow customized data elements to be inserted and collected from within the NEMESIS Version 3 standard.

**eCustomResults.02 - Custom Element ID Referenced**

**Definition**

References the CustomElementID attribute for eCustomConfiguration.CustomGroup

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

**Constraints**

<b>Data Type</b>	<b>minLength</b>	<b>maxLength</b>
string	0	255

**Data Element Comment**

**eCustomResults.03 - CorrelationID of PatientCareReport Element or Group**

**Definition**

References the CorrelationID attribute of an element or group in the PatientCareReport section

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

**Constraints**

Data Type	minLength	maxLength
string	0	255

**Data Element Comment**

# Index

<b>CADDDataSet</b>	<b>1</b>
CADDDataSet Grouping	2
<b>eCAD</b>	<b>13</b>
eCAD Grouping	14
eCad.01 - EMS Agency Unique State ID	18
eCad.02 - EMS Agency Number	19
eCad.03 - EMS Agency Name	20
eCad.04 - EMS Agency State	21
eCad.05 - Dispatch Center (CAD) Name or ID	22
eCad.06 - Patient Care Report Number	23
eCad.07 - EMS Agency Number	24
eCad.08 - EMS Agency Name	25
eCad.09 - Incident Number	26
eCad.10 - EMS Response Number	27
eCad.100 - Destination Country	118
eCad.101 - Destination GPS Location	119
eCad.102 - Disposition Location US National Grid Coordinates	120
eCad.103 - Number of Patients Transported in this EMS Unit	121
eCad.104 - EMS Transport Method	122
eCad.105 - Transport Mode from Scene	123
eCad.106 - Additional Transport Mode Descriptors	124
eCad.107 - Type of Destination	125
eCad.108 - Destination Team Pre-Arrival Activation	126
eCad.109 - Date/Time of Destination Prearrival Activation	127
eCad.11 - Type of Service Requested	28
eCad.12 - Standby Purpose	29
eCad.13 - Primary Role of the Unit	30
eCad.14 - Type of Dispatch Delay	31
eCad.15 - Type of Response Delay	32
eCad.16 - Type of Scene Delay	33
eCad.17 - Type of Transport Delay	34
eCad.18 - Type of Turn-Around Delay	35
eCad.19 - EMS Vehicle (Unit) Number	36
eCad.20 - EMS Unit Call Sign	37
eCad.21 - Level of Care of This Unit	38
eCad.22 - Vehicle Dispatch Location	39
eCad.23 - Vehicle Dispatch GPS Location	40
eCad.24 - Vehicle Dispatch US National Grid Location	41
eCad.25 - Beginning Odometer Reading of Responding Vehicle	42
eCad.26 - On-Scene Odometer Reading of Responding Vehicle	43
eCad.27 - Patient Destination Odometer Reading of Responding Vehicle	44
eCad.28 - Ending Odometer Reading of Responding Vehicle	45
eCad.29 - Response Mode to Scene	46
eCad.30 - Additional Response Mode Descriptors	47
eCad.31 - Complaint Reported by Dispatch	48
eCad.32 - EMD Performed	50
eCad.33 - EMD Card Number	51



eCad.34 - Dispatch Center Name or ID	52
eCad.35 - Dispatch Priority (Patient Acuity)	53
eCad.36 - PSAP Call Date/Time	54
eCad.37 - Dispatch Notified Date/Time	55
eCad.38 - Unit Notified by Dispatch Date/Time	56
eCad.39 - Dispatch Acknowledged Date/Time	57
eCad.40 - Unit En Route Date/Time	58
eCad.41 - Unit Arrived on Scene Date/Time	59
eCad.42 - Arrived at Patient Date/Time	60
eCad.43 - Transfer of EMS Patient Care Date/Time	61
eCad.44 - Unit Left Scene Date/Time	62
eCad.45 - Arrival at Destination Landing Area Date/Time	63
eCad.46 - Patient Arrived at Destination Date/Time	64
eCad.47 - Destination Patient Transfer of Care Date/Time	65
eCad.48 - Unit Back in Service Date/Time	66
eCad.49 - Unit Canceled Date/Time	67
eCad.50 - Unit Back at Home Location Date/Time	68
eCad.51 - EMS Call Completed Date/Time	69
eCad.52 - EMS Patient ID	70
eCad.53 - Last Name	71
eCad.54 - First Name	72
eCad.55 - Middle Initial/Name	73
eCad.56 - Patient's Home Address	74
eCad.57 - Patient's Home City	75
eCad.58 - Patient's Home County	76
eCad.59 - Patient's Home State	77
eCad.60 - Patient's Home ZIP Code	78
eCad.61 - Patient's Home Country	79
eCad.62 - Patient Home Census Tract	80
eCad.63 - Social Security Number	81
eCad.64 - Gender	82
eCad.65 - Race	83
eCad.66 - Age	84
eCad.67 - Age Units	85
eCad.68 - Date of Birth	86
eCad.69 - Patient's Phone Number	87
eCad.70 - First EMS Unit on Scene	88
eCad.71 - Other EMS or Public Safety Agencies at Scene	89
eCad.72 - Other EMS or Public Safety Agency ID Number	90
eCad.73 - Type of Other Service at Scene	91
eCad.74 - Date/Time Initial Responder Arrived on Scene	92
eCad.75 - Number of Patients at Scene	93
eCad.76 - Mass Casualty Incident	94
eCad.77 - Triage Classification for MCI Patient	95
eCad.78 - Incident Location Type	96
eCad.79 - Incident Facility Code	97
eCad.80 - Scene GPS Location	98
eCad.81 - Scene US National Grid Coordinates	99
eCad.82 - Incident Facility or Location Name	100
eCad.83 - Mile Post or Major Roadway	101
eCad.84 - Incident Street Address	102

eCad.85 - Incident Apartment, Suite, or Room	103
eCad.86 - Incident City	104
eCad.87 - Incident State	105
eCad.88 - Incident ZIP Code	106
eCad.89 - Scene Cross Street or Directions	107
eCad.90 - Incident County	108
eCad.91 - Incident Country	109
eCad.92 - Incident Census Tract	110
eCad.93 - Destination/Transferred To, Name	111
eCad.94 - Destination/Transferred To, Code	112
eCad.95 - Destination Street Address	113
eCad.96 - Destination City	114
eCad.97 - Destination State	115
eCad.98 - Destination County	116
eCad.99 - Destination ZIP Code	117

### **eCustomConfiguration**

**3**

eCustomConfiguration Grouping	4
eCustomConfiguration.01 - Custom Data Element Title	5
eCustomConfiguration.02 - Custom Definition	6
eCustomConfiguration.03 - Custom Data Type	7
eCustomConfiguration.04 - Custom Data Element Recurrence	8
eCustomConfiguration.05 - Custom Data Element Usage	9
eCustomConfiguration.06 - Custom Data Element Potential Values	10
eCustomConfiguration.07 - Custom Data Element Potential NOT Values (NV)	11
eCustomConfiguration.08 - Custom Data Element Potential Pertinent Negative Values (PN)	12

### **eCustomResults**

**128**

eCustomResults Grouping	129
eCustomResults.01 - Custom Data Element Result	130
eCustomResults.02 - Custom Element ID Referenced	131
eCustomResults.03 - CorrelationID of PatientCareReport Element or Group	132