



National EMS Database

NEMSIS Public Release Research Data Set

V3.3.4 and V3.4.0

2017 User Manual

October 2018

NEMSIS Technical Assistance Center
University of Utah School of Medicine
295 Chipeta Way, P.O. Box 581289
Salt Lake City, Utah 84158-1289
www.nemsis.org

ACKNOWLEDGEMENT

The Office of Emergency Medical Services, National Highway Traffic Safety Administration established the NEMSIS National EMS Database as a public service. The National EMS Database is a repository of EMS related data voluntarily reported by participating EMS agencies and states. The National Highway Traffic Safety Administration funds and administers the NEMSIS Program.

TERMS OF USE

Please be advised of the following Terms and Conditions of Use. In order to request the NEMSIS Public Release Research Data Set, you must agree to these terms and conditions (below), and complete the data application form.

The National Highway Traffic Safety Administration (NHTSA) established the NEMSIS National EMS Database as a public service. The National EMS Database is a repository of EMS related data voluntarily reported by participating EMS agencies and states. PLEASE NOTE THAT THE PUBLIC RELEASE RESEARCH DATASET IS NOT A POPULATION BASED DATA SET.

NHTSA funds and administers the NEMSIS Program. Therefore, use of any information from the National EMS Database or the NEMSIS Public Release Research Datasets must include a prominent credit line. That line is to read as follows:

National Highway Traffic Safety Administration, National Emergency Medical Services Information System. The content reproduced from the NEMSIS Database remains the property of the National Highway Traffic Safety Administration. The National Highway Traffic Safety Administration is not responsible for any claims arising from works based on the original Data, Text, Tables, or Figures.

Specific Terms of Agreement:

Limited license is granted to use said Information from the NEMSIS National EMS Database from the National Highway Traffic Safety Administration, provided the Requester agrees to the following provisions:

1. Treat the information received from the NEMSIS Technical Assistance Center as non-public health data. The data may never be used by Requester as a basis for legal, administrative or other actions that can directly affect an individual whose medical or personal information is identifiable in the data.
2. Use the information received under the provisions of this Agreement only for the following not-for-profit purposes: research, advocacy, medical education, patient education, or other EMS care-related activities supported by not-for-profit organizations.
3. All Information derived from the NEMSIS National EMS Database shall remain the full property of The National Highway Traffic Safety Administration and shall be so noted in educational material, website presentations, and publications.
4. Warrant that The National Highway Traffic Safety Administration is not responsible for any claims arising from works based on the original Data, Text, Tables, or Figures.
5. Indemnify the National Highway Traffic Safety Administration and the National EMS Information System Technical Assistance Center and their employees and agents from any and all liability, loss, or damage suffered as a result of claims, demands, costs, or judgments arising out of use of NEMSIS National EMS Database information.
6. Requestor may not sublease or permit other parties to use NEMSIS data without advance written approval of NEMSIS Technical Assistance Center.

The Requester's obligations hereunder shall remain in full force and effect and survive the completion of the Requester's defined project described herein above. The terms of this Agreement shall be binding upon the Requester and the organization through which his/her project is conducted.

A copy of the final printed material must be forwarded to NEMSIS Technical Assistance Center staff.



Table of Contents

Section	Page
ACKNOWLEDGEMENT	Cover Page
TERMS OF USE	i
HISTORY OF NEMSIS	1
NEMSIS CONFIDENTIALITY POLICY	3
CURRENT LIMITATIONS OF NATIONAL EMS DATA	3
1. Data Quality in the National EMS Database	3
2. The National EMS Database is not a population-based dataset	4
3. Selection and Information Bias in the National EMS Database	4
4. Missing Data in the National EMS Database	5
GETTING STARTED WITH NATIONAL EMS DATA	7
FREQUENTLY ASKED QUESTIONS ABOUT USING NATIONAL EMS DATA	7
PUBLICATIONS	9

Appendices

Appendices

Appendix A: VARIABLE DESCRIPTION LIST	13
Appendix B: BUSINESS RULES FOR NATIONAL EMS DATA.....	17
Appendix C: LIST OF CONTRIBUTING STATES	55
Appendix D: EXTENDED DEFINITION DOCUMENT, VERSION 2.2	56
Appendix E: COMPUTED AND ANCILLARY VARIABLE DESCRIPTION LIST	57
Appendix F: SOURCE CODE FOR SAMPLE PROGRAMS	58



HISTORY OF NEMSIS

In 1973, the *Emergency Medical Services (EMS) Systems Act* is passed. Administered by The Department of Health, Education and Welfare, the EMS Systems Act provides funding for the development of local EMS systems. The Act identifies 15 essential components of an EMS system, including the need for EMS data collection. This is the first Federal legislation requiring EMS data collection and documentation of EMS services.

In 1991, the *Utstein Style for Uniform Reporting of Data* is published. This is the first major document to publish data points that specifically addressed data collection for EMS systems. The data points are specific to prehospital cardiac care and include variables on patient outcomes.

In 1994, the NHTSA *Uniform Pre-hospital EMS Dataset (Version 1.0)* is published. The EMS Community recognizes that EMS systems across the country are collecting different data elements for identical types of incidents, emergencies, EMS operations, and prehospital clinical care. There is clearly a need for standardization. In response, NHTSA works with representatives of national EMS organizations and EMS technical experts to develop the NHTSA Uniform Pre-hospital EMS Dataset, a national consensus document that defines 81 elements determined important to an EMS information system.

In 1996, NHTSA's *EMS Agenda for the Future: A Vision for the Nation's EMS System* (Agenda) is published. The Agenda is a collaborative effort involving representatives from State Offices of EMS, National EMS Organizations, and Federal Partners. The Agenda identifies 14 EMS Attributes for continued development and improvement of EMS systems. The Information Systems Attribute includes 5 recommendations related to uniform EMS data elements, information systems for collecting and transmitting data electronically, and integration with other public safety and healthcare data.

In 1997, *Data Elements for Emergency Department Systems* is published. The data elements, developed by the Center for Disease Control and Prevention's National Center for Injury Control and Prevention, extends the concept of information systems for emergency departments by providing standards for data collection and linkages back to EMS.

In 1998, NHTSA's *EMS Agenda for the Future: Implementation Guide* is published. The *Implementation Guide*, a follow-up compendium to the *EMS Agenda for the Future*, identifies approaches for implementing the Agenda's 89 recommendations.

In 2001, the National EMS Information System (NEMSIS) and the National EMS Database are developed. The development of NEMSIS is a collaborative effort by The National Association of State EMS Directors with funding from NHTSA and the Trauma and EMS Systems Program at the Health Resources and Services Administration's (HRSA) Maternal and Child Health Bureau.



In 2003, an EMS data collection Memorandum of Agreement (MOU) is signed by 51 U.S. States and Territories. The MOU establishes the need for standardized EMS data element definitions, standardized data collection at the state level, and a defined set of national NEMSIS data elements. By 2008, all states, the District of Columbia and the 5 U.S. Incorporated Territories have signed the MOU.

After 18 months of working with an expert consensus panel, a 400-page NEMSIS data dictionary is completed. The data dictionary includes data element labels, definitions and standardized value codes.

In 2004, NEMSIS physical database schemas, element traits, and database development scripts are made available. These standardized implementation templates are provided to EMS software vendors for the development of EMS electronic patient care (ePCR) software and to states for development of state-level EMS data collection systems.

Also during this time, Extensible Markup Language (XML) is designated as the standard to transmit EMS data from EMS agencies at the local-level to state-level EMS data collection systems, and onto the National EMS Database. XML's open format provides an easy way to transmit data for different ePCR software formats.

In 2005, the NEMSIS Version 2.2 Data Standard is created. The Version 2.2 Data Standard is developed using a national consensus process during a NEMSIS project pilot phase administered collaboratively by NHTSA, HRSA, and the CDC.

As a result of the pilot phase, NHTSA, HRSA, and the CDC recognize the value of the NEMSIS Project and initiate funding for a NEMSIS Technical Assistance Center (TAC). Initial development and testing of the NEMSIS standard is completed by the EMS Performance Improvement Center (EMS-PIC) at the University of North Carolina. The TAC agreement is awarded to the University of Utah School of Medicine (Utah). Utah works with closely with the EMS-PIC to ensure an accurate transfer of NEMSIS knowledge and technology developed by the EMS-PIC.

In 2009, NEMSIS Version 3 is created. NEMSIS Version 3 expands the number of NEMSIS data elements, incorporates ICD-10-CM codes for 19 data elements, establishes software business rules to improve data quality, expands recommendations for state EMS datasets, and establishes a data export and transmission standard based on Web Services to facilitate automated and near real-time EMS data transfer.

In 2012, NEMSIS Version 3.2.6 Data Standard ePCR software compliance testing is initiated to ensure adherence to the NEMSIS standard. Also during this time, NEMSIS Version 3 works with a Standards Development Organization (Health Level Seven) and meets the American National Standards Institute (ANSI) requirements to become a National healthcare data standard. A Data Standard for Trial Use (DSTU) period is initiated and continued for 18 months.

Also during this time, the number of states submitting Version 2 NEMSIS data to the National EMS Database reaches 37 states and territories.



In 2015, the National EMS Database reaches over 30 million NEMSIS Version 2.2.1 Data Standard records of EMS activations from 49 U.S. States and Territories. NEMSIS Version 3.4.0 is rolled out in 13 states with several additional states planning migration for early 2016.

In 2017, NEMSIS Version 2.2.1 is closed (Dec 31, 2016) for ePCR software compliance testing by the NEMSIS-TAC and for submission to the National EMS Database. The NEMSIS-TAC begins exclusively collecting Version 3 NEMSIS data from states and territories on January 1, 2017. For calendar year 2017, the NEMSIS-TAC collects 7,907,829 NEMSIS Version 3.3.4/3.4.0 records of EMS activations from 4,016 agencies located in 35 states and territories.

NEMSIS CONFIDENTIALITY POLICY

The NEMSIS National Database is maintained on a secure database with limited internal access. External users must gain permission to the database by completing a request form available on the web site (<http://www.nemsis.org/dataCenter/requestNEMSISData.html>). Use of the National EMS Database is in strict compliance with the Health Insurance Portability and Accountability Act of 1996 (HIPAA).² The NEMSIS Technical Assistance Center does not distribute or report data identifying a patient, EMS agency, health care facility, or reporting state in any manner that allows for identification without the express written permission of the entity to be identified. The dataset collected by the NEMSIS TAC is considered a “limited” dataset under HIPAA, and the research dataset that the NEMSIS TAC releases is a “de-identified” dataset.

CURRENT LIMITATIONS OF NATIONAL EMS DATA

1. Data Quality in the National EMS Database

The National EMS Database is a large convenience sample—it consists solely of data submitted by participating EMS agencies within states/territories and it is not a population-based data set. In addition, the National EMS Database inherits the individual deficiencies originating from its contributing entities. However, the NEMSIS TAC is continually cleaning and standardizing the data to improve data quality. Data files received from contributing EMS agencies and states are checked for completeness, logical consistency, and proper formatting. Any data files not passing the NEMSIS validation and data cleaning processes are rejected or flagged, based upon the type of the discovered errors. A data profile report is generated for each submitted file from a state/territory allowing the opportunity to review the quality of submitted data, correct errors and resubmit their data if needed. Any remaining data limitations, errors, or inconsistencies are allowed into the database. These errors remain for two reasons: 1) it would be extremely difficult to flag individual errors and request corrections from thousands of EMS agencies submitting millions of records and; 2) allowing states (and associated EMS agencies) to



view data as submitted, will hopefully facilitate efforts to further refine data collection techniques to increase the accuracy of data collected.

The NEMSIS TAC employs edit checks to identify invalid or out of range values for the variables included the research data set. There are currently over 450 edit checks. For further information about the edit checks please see Appendix B.

2. The National EMS Database is not a Population-based Dataset

The National EMS Database is subject to the limitations of any “convenience sample”. It probably includes a disproportionate number of EMS agencies with the resources and leadership necessary to be an adopter of the NEMSIS standard. The data may not be representative of all States or EMS agencies in the nation.

In addition, users of the National EMS Database should understand that the data are “event-based” and not “patient-based”. That is, a single patient may be represented in more than one record for a variety of reasons. A patient may request EMS assistance frequently, and therefore, be represented in the dataset more than once. In addition, several agencies may respond to the same event (i.e., one patient) and each submit a patient care record to the National EMS Database. For example, a patient may be treated by first responders, who transfer care to a ground ambulance crew, who deliver the patient to a soccer field for transport to a tertiary hospital via air ambulance. In this case, three patient care reports (records) would exist in the National EMS Database for the single event. Thus, we refer to the National EMS Database as a registry of “EMS activations”.

3. Selection and Information Bias in the National EMS Database

As a “convenience sample”, the National EMS Database is subject to various forms of bias. The NEMSIS national data are submitted voluntarily from EMS agencies and states that have demonstrated a commitment to monitoring and improving the care of patients treated and transported by EMS. These may not be representative of all EMS agencies and states. In addition, states have differing criteria for including patients in statewide EMS databases. Some states include all 9-1-1 calls, while other states limit case additions to patient contacts or patient transports.

Some of the theoretical issues resulting from the use of registries have been noted²⁻⁴. The most obvious problems are selection bias, the inconsistency with which clinical variables can be measured, and inter-agency differences in treatment and transport practices.

Selection bias refers to an apparent difference between two groups that is actually caused by different inclusion criteria. For example, if a state includes all “no-treatment, left on scene” patients in its registry and another state does not, the state not including this patient population may appear to have more “higher acuity” events (i.e., frequent treatment and medication events) compared to the state including patient refusals. Any difference in inclusion/exclusion criteria could produce a selection bias.



Information bias refers to an apparent difference between two groups that is actually caused by a difference in the data available to compare them. Many fields among the national NEMSIS elements allow for null values, and differences in the proportion of cases with missing (or null) data may be responsible for apparent differences among EMS agencies between or within states. If one state demonstrates incomplete data on patients when reporting treatment complications, for example, it may falsely appear to be delivering better quality care than a state that diligently requires every treatment complication to be recorded.

4. Missing data in the National EMS Dataset

The proportion of missing data varies across data elements in National EMS Database, and it is important to decide how to deal with missing data when doing analyses. In most cases, NEMSIS data are not missing at random and analyses, therefore, are subject to bias if missing data are ignored. That is, the results may be misleading when excluding all observations with missing data or null values. Excluding observations with missing values is the default for most software programs when running statistical analyses.

Another available option is to provide plausible values for the missing data, either by single value or multiple value imputation. A single imputation of a value may be an educated guess at the value, substitution of the mean value, or substitution based on a regression equation using other (observed) values. For example, one might assume that a patient has suffered an injury (eSituation.02 = Yes) if the complaint reported to dispatch was “Traumatic Injury”. Most statistical software packages can do imputations without much difficulty. However, it is important to explore the impact of missing data with sensitivity analyses. That is, repeat an analysis with and without imputation and see whether there are any important differences.

CONTACT INFORMATION

For further assistance in using the National EMS Dataset contact:

N. Clay Mann, NEMSIS TAC Principal Investigator
E-Mail: clay.mann@hsc.utah.edu
Phone: 801-585-9161

Mengtao Dai, NEMSIS TAC Analyst
E-Mail: mengtao.dai@hsc.utah.edu
Phone: 801-213-3407

Lisa Young, NEMSIS TAC Director
E-Mail: lisa.young@hsc.utah.edu
Phone: 801-213-3822

REFERENCES

1. Annas GJ. Medical privacy and medical research - judging the new federal regulations. *N Engl J Med.* 2002; 346:216-220.
2. Herrmann N, Cayten CG, Senior J, Staroscik R, Walsh S, Woll M. Interobserver and intraobserver reliability in the collection of emergency medical services data. *Health Serv Res.* 1980;15:127-43.
3. Mann NC, Guice K, Cassidy L, Wright D, Koury J, Anderson C. Are statewide trauma registries comparable? Reaching for a national trauma dataset. *Acad Emerg Med.* 2006;13(9):946-53.
4. Izquierdo JN, Schoenbach VJ. The potential and limitations of data from population-based state cancer registries. *Am J Public Hlth.* 2000;90:695-98.



GETTING STARTED WITH NATIONAL EMS DATA

The 2017 NEMSIS Public-Release Research Dataset includes 7,907,829 version 3.3.4/3.4.0 EMS activations collected from 4,016 agencies located in 35 states and territories. This dataset is organized into a set of relational tables and consists of 42 data files each (including 6 reference tables and 1 computed table). These files are provided in ASCII format (pipe-separated values), SAS and STATA formats. Both types of files can be used to export the data to other formats (e.g., Excel, R, SPSS, etc.).

The table named “Pub_PCTevents” includes all of the single entry elements contained in the NEMSIS standard that have been approved for release. All other tables include elements for which multiple entry values are possible. The data element “PcrKey” is the unique key to match elements for each record contained in the Event Table and all other tables. This “Primary Key” (i.e., PcrKey) is the unique ID for each record contained in each table and can be used to match elements across tables associated with the same EMS event. A Foreign key is also found in all tables, except the Pub_PCTevents Table, and is used to match multiple entries (for multiple entry elements) to the same EMS event. For most multiple entry elements, the included PcrKey is the same PcrKey found in the Pub_PCTevents table. MedsGivenComplications, ProceduresComplications and Vitals related elements all contain a foreign key that matches multiple instances to a primary key in the MedsGiven, Procedures and vitals tables.

Contact us with any concerns or suggestions you might have regarding table constructions (clay.mann@hsc.utah.edu). A detailed data dictionary of each variable can be found on the NEMSIS website (<https://nemsis.org/technical-resources/version-3/version-3-data-dictionaries/>).

Additional information regarding file size:

UNCOMPRESSED
ASCII 23.7 GB
SAS 20.9 GB
STATA 19.1 GB

COMPRESSED
ASCII 2.38 GB
SAS 2.34 GB

STATA 2.09 GB



FREQUENTLY ASKED QUESTIONS ABOUT USING NATIONAL EMS DATA

1. What are the system requirements of downloading the NEMSIS?

Relational Tables

Minimum of 64 GB of storage for SAS files

Minimum of 64 GB of storage for ASCII files

Minimum of 64 GB of storage for STATA files

Minimum of 8+ GB of RAM strongly recommended

2. Can I estimate a number of patients based on the National EMS Database?

The National EMS Database is an incident database and there are no patient identifiers in the database. If a patient has more than one EMS reported incident during a year, or several agencies submit a run report for the same incident, this patient will be in the database more than once.

3. How can I merge the data sets in the National EMS Database?

The National EMS Database files can be merged by using the unique incident key for each incident (i.e., PcrKey).

4. What are the patient inclusion criteria for the National EMS Database?

States have differing criteria for including patients in statewide EMS databases. Some states include all 9-1-1 calls, while other states limit case additions to patient contacts or patient transports.

5. How can I gain access to the Additional Variables Requiring Approval (page 16)?

Data variables found on page 20 are submitted by states to the NEMSIS TAC, but are prohibited from release by existing State Data Use Agreements. Researchers can gain access to these variables by making a direct request to each state for which the researcher wishes access. In addition, the NEMSIS TAC can make use of the HIPAA de-identification clause to statistically “mask” these elements in a fashion that allows for the investigation of a specific hypothesis.

As an example, if a researcher is working with a hypothesis that requires access to geographic boundaries (such as the element “EMS Agency State”), the NEMSIS TAC can collapse data from several states into categories, based on the hypothesis, and provide the researcher a new “blinded” categorical element and include a primary key element for merging to the publicly accessible patient-level data. To make use of this process, contact N. Clay Mann at clay.mann@hsc.utah.edu.



SELECTED NEMSIS PUBLICATIONS

Mears, G., Dawson, D., & Ornato, J. (2002). Emergency Medical Services Information Systems and a Future EMS National Database. *Prehospital Emergency Care, January/March 2002, Volume 6, Number 1, 123-30.*

Dawson DE. National Emergency Medical Services Information System (NEMSIS). *Prehosp Emerg Care.* 2006 Jul-Sep;10(3):314-6.

Kemp M. Mapping the future: with NEMSIS, the EMS of tomorrow will be shaped by the data of today. *EMS Mag.* 2009 Feb;38(2):48-50.

Legler J, Taillac P, Larsen B. Monitoring prehospital stroke care in Utah to assess the feasibility of using EMS data for surveillance. *Prev Chronic Dis* 2009;6(4):A137.

Williams I, Mears G, Raisor C, Wilson J. An emergency medical services toolkit for improving systems of care for stroke in North Carolina. *Prev Chronic Dis.* 2009 Apr;6(2):A67.

Mears G. Avoid information overload. Now that you have data, What do you do with it? *JEMS.* 2009 Aug;34(8):12-5.

Shaeffer Z, Gohdes D, Legler J, Taillac P, Larsen B. Monitoring prehospital stroke care in Utah to assess the feasibility of using EMS data for surveillance. *Prev Chronic Dis.* 2009 Oct;6(4):A137. Epub 2009 Sep 15.

Hostler D, Thomas EG, Emerson SS, Christenson J, Stiell IG, Rittenberger JC, Gorman KR, Bigham BL, Callaway CW, Vilke GM, Beaudoin T, Cheskes S, Craig A, Davis DP, Reed A, Idris A, Nichol G, and the Resuscitation Outcomes Consortium Investigators. Increased survival after EMS witnessed cardiac arrest. Observations from the Resuscitation Outcomes Consortium (ROC) Epistry - Cardiac Arrest. *Resuscitation.* 2010 July ; 81(7): 826–830.

Hafley C. Building a PSO “Field of Dreams” for Emergency Medical Services. *Patient Safety and Quality Healthcare,* Nov/Dec 2010.

Mears GD, Pratt D, Glickman SW, Brice JH, Glickman LT, Cabanas JG, Cairns CB. The North Carolina EMS data system: a comprehensive integrated emergency medical services quality improvement program. *Prehosp Emerg Care,* 2010;14:85–94.

Mears GD, Rosamond WD, Lohmeier C, Murphy C, O'Brien E, Asimos AW, Brice JH. A Link to Improve Stroke Patient Care: A Successful Linkage Between a Statewide Emergency Medical Services Data System and a Stroke Registry. *Acad Emerg Med,* 2010;17(12):1398–1404.



Wang HE, Bogucki S. Out-of-hospital Endotracheal Intubation: Are Observational Data Useful? *Acad Emerg Med*, 2010;17(9):987-988.

Newgard CD, Zive D, Malveau S, Leopold R, Worrall W, Sahni R. Developing a statewide emergency medical services database linked to hospital outcomes: a feasibility study. *Prehosp Emerg Care*. 2011 Jul-Sep;15(3):303-19.

Wang HE, Mann NC, Mears G, Jacobson K, Yealy DM. Out-of-hospital airway management in the United States. *Resuscitation*. 2011; 82: 378-85.

Cairns C, Potenziani1 D, Hoit M, Jenkins C, Edgemon S. Novel approach to statewide biosurveillance using emergency medical services (EMS) information. Emerging Health Threats Journal 2011, 4: 11183.

Landman AB, Rokos IC, Burns K, Van Gelder CM, Fisher RM, Dunford JV, Cone DC, Bogucki S. An open, interoperable, and scalable prehospital information technology network architecture. *Prehosp Emerg Care*, 2011;15:149–157

Newgard CD, Malveau S, Staudenmayer K, Wang NE, Hsia RY, Mann NC, Holmes JF, Kuppermann N, Haukoos JS, Bulger EM, Dai M, Cook LJ. Evaluating the Use of Existing Data Sources, Probabilistic Linkage and Multiple Imputation to Build Population-Based Injury Databases Across Phases of Trauma Care. *Acad Emerg Med*. 2012;19(4):469-480.

Erich J. What do you do with that data? NEMSIS is power--learn how to take advantage. *EMS World*. 2012 Sep;41(9):61.

Landman AB, Lee CH, Sasson C, Van Gelder CM, Curry LA (2012) Prehospital Electronic Patient Care Report Systems: Early Experiences from Emergency Medical Services Agency Leaders. *PLoS ONE* 7(3): e32692

Wang HE, Mann NC, Jacobson K, Dai M, Mears G, Smyrski K, Yealy DM. National Characteristics of Emergency Medical Services Responses in the United States. *Prehosp Emerg Care*, 2013;17:8-14.

Tataris, K., et al. "Out-of-Hospital Aspirin Administration for Acute Coronary Syndrome in the United States: An EMS Quality Assessment Using the NEMSIS (National EMS Information System) Database." *Annals of Emergency Medicine* 62.4 (2013): S45.

Newgard CD, Mann NC, Hsia RY, Bulger EM, Ma OJ, Staudenmayer K, Haukoos JS, Sahni R, Kuppermann N (2013). Patient Choice in the Selecting Hospitals by 9-1-1 Emergency Medical Services Providers in Trauma Systems. *Acad Emerg Med*, 20(9), 911-9.



Ostermayer DG, Gausche-Hill M. Supraglottic airways: The history and current state of prehospital airway adjuncts. *Prehosp Emerg Care*. 2014;18(1):06-115.

Schenk E, Wijetunge G, Mann NC, Lerner EB, Longthorne A, Dawson D (2014). Epidemiology of Mass Casualty Incidents in the United States. *Prehosp Emerg Care*, 18(3), 408-416.

Tunik MG, Mann NC, Lerner EB (2014). Pediatric Emergency Medical Services Research. *Clin Pediatr Emerg Med*, 15, 96-103.

Diggs LA, Yusuf JE, De Leo G. An update on out-of-hospital airway management practices in the United States. *Resuscitation*, 2014;85(7):885-892.

Lerner EB, Dayan PS Brown K, et al. Characteristics of the Pediatric Patients Treated by the Pediatric Emergency Care Applied Research Network's Affiliated EMS Agencies. *Prehosp Emerg Care*. 2014;18(1):52-59.

Mann NC, Kane L, Dai M, Jacobson K (In Press). Description of the 2012 NEMSIS Public-Release Research Dataset. *Prehosp Emerg Care*.

Newgard C, Richardson D, Holmes JF, Rea TD, Hsia RY, Mann NC, Staudenmayer K, Barton ED, Bulger EM, Haukoos JS (In Press). Physiologic Field Triage Criteria For Identifying Seriously Injured Older Adults. *Prehosp Emerg Care*.

Faul M. Disparity in Naloxone Administration by Emergency Medical Service Providers and the Burden of Drug Overdose in Rural Communities in the United States. *American Journal of Public Health*. 2014.

Hansen M, Lambert W, Guise JM, Warden CR, Mann NC, Wang H. Out-of-hospital pediatric airway management in the United States. *Resuscitation*. May 2015;90:104-110.

Tataris KL, Mercer MP, Govindarajan P. Prehospital aspirin administration for acute coronary syndrome (ACS) in the USA: an EMS quality assessment using the NEMSIS 2011 database. *Emergency Medicine Journal*. 12 Feb 2015.

Drayna PC, Browne LR, Guse CE, Brousseau DC, Lerner BE. Prehospital Pediatric Care: Opportunities for Training, Treatment, and Research. *Prehospital Emergency Care* 2015.

Carlson, JN Karns C, Mann NC, Jacobson, KE Dai M, Colleran, C Wang HE (In Press). Classification and Frequency of Emergency Medical Services Procedures Performed in the United States. *Ann Emerg Med*.

Carlson JN, Gannon E, Mann NC, Jacobson KE, Dai M, Colleran C, Wang HE (In Press). Pediatric Out-of-Hospital Critical Procedures in the United States. *Pediatr Emerg Care*.



Sayed ME, Tamim H, Mann NC. Description of Medication Administration by Emergency Medical Services During Mass Casualty Incidents in the United States. *Prehospital and Disaster Medicine*. 2016; 31(2): pp: 141-149.

Mueller LR, Donnelly JP, Jacobson KE, Carlson JN, Mann NC, Wang HE. National Characteristics of Emergency Medical Services in Frontier and Remote Areas. *Prehospital Emergency Care*, 2016; 20(2) early online.

Sayed ME, Tamim H, Mann NC (In Press). Description of Prehospital Procedures Performed on Patients by Emergency Medical Services Levels During Mass Casualty Incidents in the United States. *Ann Emerg Med*.

Mann NC, Dai M, Baeder LL, White K, Newgard CD, Kuppermann N, Wintemute G. (Submitted) Characterizing Pediatric Firearm Injuries in 20 States: Findings from NEMSIS. *Injury Prevention*.

Schwartz J, Dreyer RP, Murugiah K, Ranasinghe I. Contemporary Prehospital Emergency Medical Services Response Times for Suspected Stroke in the United States. *Prehospital Emergency Care*. 2016 Mar 3:1-5.

Faul M, Stevens JA Sasser SM, Allee L, Deokar AJ, Kuhls DA, Burke P. Older Adult Falls Seen by Emergency Medical Service Providers: A Prevention Opportunity, *American Journal of Preventive Medicine*. 2016, 50(6): pp: 719–726.

Faul M, Aikman SN, Sasser SM. Bystander Intervention Prior to Emergency Medical Service Arrival: Comparing Assistance across types of Medical Emergencies. *Prehospital Emergency Care*. 2016, 20(3); pp: 317-323.

Martin A, Lohse CM. A Descriptive Analysis of Prehospital Response to Hazardous Material Events. *Prehospital and Disaster Medicine*. 2015;30(5): pp: 466-471.

Diggs LA, Sheth-Chandra M, De Leo G. Epidemiology of Pediatric Prehospital Basic Support Care in the United States. *Prehospital Emergency Care*. 2016 20(2): pp: 230-238.

Cornwell EY, Currit A. Racial and Social Disparities in Bystander Support during Medical Emergencies in US Streets. *Am J Public Health*, 2016;106(6):1049-51.

Schwartz J, Dreyer RP, Murugiah K, Ranasinghe, I. Contemporary Prehospital Emergency Medical Services Response Times for Suspected Stroke in the United States. *Prehosp Emerg Care*, 2016;20(5):560-65.

Mazen ES, TamimH, Mailhac A, Mann NC. Trends and predictors of tourniquet use by civilian emergency medical services in the United States. *Prehosp Emerg Care*, 2017;21(1):54-62.



Hsia RY, Dai M, Wei R, Sabbagh S, Mann NC. Geographic Discordance between Patient Residence and Incidence Location in Emergency Medical Services Responses. *Ann Emerg Med*, 2017;69(1):44-51.

JB Anupam, Mann NC, Wedlund LN, Olenski A. Delays in Emergency Care and Mortality during Major U.S. Marathons. *N Engl J Med*, 2017;Apr 13(376):1441-1450.

Hewes HA, Dai M, Mann NC, Baca T, Taillac P (2018). Prehospital Pain Management: Disparity By Age and Race. *Prehosp Emerg Care*, 22(2), 189-97.

Benoit SR, Kahn HS, Geller AI, Budnitz DS, Mann NC, Dai M, Gregg EW, Geiss LS (2018). Diabetes-related emergency medical service activations in 23 US states, 2015. *Prehosp Emerg Care*, 22(6), 705-712.

El Sayed M, Tamim H, Mailhac A, Mann NC (2018). Ventilator Use by Emergency Medical Services during 911 calls in the United States. *Am J Emerg Med*, 36(5), 763-68.

Hsia RY, Huang D, Mann NC, Colwell C, Mercer MP, Dai M, Niedzwiecki MJ (2018). A US National Study of the Association between Income and Ambulance Response Time in Cardiac Arrest. *JAMA Netw Open*, 1(7), e185202.

APPENDIX A: PUBLIC USE VARIABLE DESCRIPTION LIST

This section includes the data table name, variable name and variable description as defined in the v 3.4.0 Public Use NEMSIS National EMS Database. Variable definitions and value codes can be found in the NEMSIS Data Dictionary (v.3.4.0) <https://nemesis.org/technical-resources/version-3/version-3-data-dictionaries/>.

Table Name	Variable Name	Variable Description
EINJURY_01REF	DiagnosisCodeDescr	ICD 10 code description
EINJURY_01REF	eInjury_01	Cause of Injury
EPROCEDURES_03REF	ProcedureCodeDescr	ICD 10 code description
EPROCEDURES_03REF	eProcedures_03	Procedure
ESITUATION_09REF	DiagnosisCodeDescr	ICD 10 code description
ESITUATION_09REF	eSituation_09	Primary Symptom
ESITUATION_10REF	DiagnosisCodeDescr	ICD 10 code description
ESITUATION_10REF	eSituation_10	Other Associated Symptom
ESITUATION_11REF	DiagnosisCodeDescr	ICD 10 code description
ESITUATION_11REF	eSituation_11	Provider's Primary Impression
ESITUATION_12REF	DiagnosisCodeDescr	ICD 10 code description
ESITUATION_12REF	eSituation_12	Provider's Secondary Impression
FACTPCRADDITIONALRESPONSEMODE	PcrKey	Primary Key for relational table
FACTPCRADDITIONALRESPONSEMODE	eResponse_24	Additional Response Mode Descriptors
FACTPCRADDITIONALSYMPTOM	PcrKey	Primary Key for relational table
FACTPCRADDITIONALSYMPTOM	eSituation_10	Other Associated Symptoms
FACTPCRADDITIONALTRANSPORTMODE	PcrKey	Primary Key for relational table
FACTPCRADDITIONALTRANSPORTMODE	eDisposition_18	Additional Transport Mode Descriptors



FACTPCRALCOHOLDRUGUSEINDICATOR	PcrKey	Primary Key for relational table
FACTPCRALCOHOLDRUGUSEINDICATOR	eHistory_17	Alcohol/Drug Use Indicators
FACTPCRARRESTCPR PROVIDED	PcrKey	Primary Key for relational table
FACTPCRARRESTCPR PROVIDED	eArrest_09	Type of CPR Provided
FACTPCRARRESTRESUSCITATION	PcrKey	Primary Key for relational table
FACTPCRARRESTRESUSCITATION	eArrest_03	Resuscitation Attempted By EMS
FACTPCRARRESTRHYTHMDESTINATION	PcrKey	Primary Key for relational table
FACTPCRARRESTRHYTHMDESTINATION	eArrest_17	Cardiac Rhythm on Arrival at Destination
FACTPCRARRESTROSC	PcrKey	Primary Key for relational table
FACTPCRARRESTROSC	eArrest_12	Any Return of Spontaneous Circulation
FACTPCRARRESTWITNESS	PcrKey	Primary Key for relational table
FACTPCRARRESTWITNESS	eArrest_04	Arrest Witnessed By
FACTPCR BARRIER TO CARE	PcrKey	Primary Key for relational table
FACTPCR BARRIER TO CARE	eHistory_01	Barriers to Patient Care
FACTPCRCAUSEOFINJURY	PcrKey	Primary Key for relational table
FACTPCRCAUSEOFINJURY	eInjury_01	Cause of Injury
FACTPCR DESTINATION REASON	PcrKey	Primary Key for relational table
FACTPCR DESTINATION REASON	eDisposition_20	Reason for Choosing Destination
FACTPCR DESTINATION TEAM	PcrKey	Primary Key for relational table
FACTPCR DESTINATION TEAM	eDisposition_24	Destination Team Pre-Arrival Alert or Activation
FACTPCR DESTINATION TEAM	eDisposition_25	Date/Time Destination Pre-Arrival Alert or Activation
FACTPCR DISPATCH DELAY	PcrKey	Primary Key for relational table
FACTPCR DISPATCH DELAY	eResponse_08	Type of Dispatch Delay
FACTPCR INJURY RISK FACTOR	PcrKey	Primary Key for relational table
FACTPCR INJURY RISK FACTOR	eInjury_04	Vehicular, Pedestrian, or Other Injury Risk Factor
FACTPCR MEDICATION	PcrKey	Primary Key for relational table
FACTPCR MEDICATION	PcrMedicationKey	Primary Key for Medication
FACTPCR MEDICATION	eMedications_01	Date/Time Medication Administered
FACTPCR MEDICATION	eMedications_02	Medication Administered Prior to this Unit's EMS Care



FACTPCR MEDICATION	eMedications_03	Medication Given
FACTPCR MEDICATION	eMedications_05	Medication Dosage
FACTPCR MEDICATION	eMedications_06	Medication Dosage Units
FACTPCR MEDICATION	eMedications_07	Response to Medication
FACTPCR MEDICATION	eMedications_10	Role/Type of Person Administering Medication
FACTPCR MEDICATION	eMedications_03Descr	Medication recoded name
FACTPCR PRIMARY IMPRESSION	PcrKey	Primary Key for relational table
FACTPCR PRIMARY IMPRESSION	eSituation_11	Provider's Primary Impression
FACTPCR PRIMARY SYMPTOM	PcrKey	Primary Key for relational table
FACTPCR PRIMARY SYMPTOM	eSituation_09	Primary Symptom
FACTPCR PROCEDURE	PcrKey	Primary Key for relational table
FACTPCR PROCEDURE	PcrProcedureKey	Primary Key for Procedures
FACTPCR PROCEDURE	eProcedures_01	Date/Time Procedure Performed
FACTPCR PROCEDURE	eProcedures_02	Procedure Performed Prior to this Unit's EMS Care
FACTPCR PROCEDURE	eProcedures_03	Procedure
FACTPCR PROCEDURE	eProcedures_05	Number of Procedure Attempts
FACTPCR PROCEDURE	eProcedures_06	Procedure Successful
FACTPCR PROCEDURE	eProcedures_08	Response to Procedure
FACTPCR PROCEDURE	eProcedures_10	Role/Type of Person Performing the Procedure
FACTPCR PROTOCOL	PcrKey	Primary Key for relational table
FACTPCR PROTOCOL	eProtocol_01	Protocols Used
FACTPCR PROTOCOL	eProtocol_02	Protocol Age Category
FACTPCR RESPONSE DELAY	PcrKey	Primary Key for relational table
FACTPCR RESPONSE DELAY	eResponse_09	Type of Response Delay
FACTPCR SCENE DELAY	PcrKey	Primary Key for relational table
FACTPCR SCENE DELAY	eResponse_10	Type of Scene Delay
FACTPCR SECONDARY IMPRESSION	PcrKey	Primary Key for relational table
FACTPCR SECONDARY IMPRESSION	eSituation_12	Provider's Secondary Impressions
FACTPCR TRANSPORT DELAY	PcrKey	Primary Key for relational table

FACTPCRTRANSPORTDELAY	eResponse_11	Type of Transport Delay
FACTPCRTRAUMACRITERIA	PcrKey	Primary Key for relational table
FACTPCRTRAUMACRITERIA	eInjury_03	Trauma Center Criteria
FACTPCRTURNAROUNDDELAY	PcrKey	Primary Key for relational table
FACTPCRTURNAROUNDDELAY	eResponse_12	Type of Turn-Around Delay
FACTPCRVITAL	PcrKey	Primary Key for relational table
FACTPCRVITAL	PcrVitalKey	Primary Key for Vitals
FACTPCRVITAL	eVitals_01	Date/Time Vital Signs Taken
FACTPCRVITAL	eVitals_02	Obtained Prior to this Unit's EMS Care
FACTPCRVITAL	eVitals_04	ECG Type
FACTPCRVITAL	eVitals_06	SBP (Systolic Blood Pressure)
FACTPCRVITAL	eVitals_08	Method of Blood Pressure Measurement
FACTPCRVITAL	eVitals_10	Heart Rate
FACTPCRVITAL	eVitals_12	Pulse Oximetry
FACTPCRVITAL	eVitals_14	Respiratory Rate
FACTPCRVITAL	eVitals_16	End Tidal Carbon Dioxide (ETCO2)
FACTPCRVITAL	eVitals_18	Blood Glucose Level
FACTPCRVITAL	eVitals_19	Glasgow Coma Score-Eye
FACTPCRVITAL	eVitals_20	Glasgow Coma Score-Verbal
FACTPCRVITAL	eVitals_21	Glasgow Coma Score-Motor
FACTPCRVITAL	eVitals_26	Level of Responsiveness (AVPU)
FACTPCRVITAL	eVitals_27	Pain Scale Score
FACTPCRVITAL	eVitals_29	Stroke Scale Score
FACTPCRVITAL	eVitals_30	Stroke Scale Type
FACTPCRVITAL	eVitals_31	Reperfusion Checklist
FACTPCRWORKRELATEDEXPOSURE	PcrKey	Primary Key for relational table
FACTPCRWORKRELATEDEXPOSURE	eOther_05	Suspect EMS Work Related Exposure, Injury, or Death
PUB_PCREVENTS	PcrKey	Primary Key for relational table
PUB_PCREVENTS	eArrest_01	Cardiac Arrest



PUB_PCREVENTS	eArrest_02	Cardiac Arrest Etiology
PUB_PCREVENTS	eArrest_05	CPR Care Provided Prior to EMS Arrival
PUB_PCREVENTS	eArrest_07	AED Use Prior to EMS Arrival
PUB_PCREVENTS	eArrest_11	First Monitored Arrest Rhythm of the Patient
PUB_PCREVENTS	eArrest_14	Date/Time of Cardiac Arrest
PUB_PCREVENTS	eArrest_16	Reason CPR/Resuscitation Discontinued
PUB_PCREVENTS	eArrest_18	End of EMS Cardiac Arrest Event
PUB_PCREVENTS	eDispatch_01	Complaint Reported by Dispatch
PUB_PCREVENTS	eDispatch_02	EMD Performed
PUB_PCREVENTS	eDisposition_12	Incident/Patient Disposition
PUB_PCREVENTS	eDisposition_16	EMS Transport Method
PUB_PCREVENTS	eDisposition_17	Transport Mode from Scene
PUB_PCREVENTS	eDisposition_19	Final Patient Acuity
PUB_PCREVENTS	eDisposition_21	Type of Destination
PUB_PCREVENTS	eDisposition_22	Hospital In-Patient Destination
PUB_PCREVENTS	eDisposition_23	Hospital Capability
PUB_PCREVENTS	eOutcome_01	Emergency Department Disposition
PUB_PCREVENTS	eOutcome_02	Hospital Disposition
PUB_PCREVENTS	ePatient_13	Gender
PUB_PCREVENTS	ePatient_15	Age
PUB_PCREVENTS	ePatient_16	Age Units
PUB_PCREVENTS	ePayment_01	Primary Method of Payment
PUB_PCREVENTS	ePayment_50	CMS Service Level
PUB_PCREVENTS	eResponse_05	Type of Service Requested
PUB_PCREVENTS	eResponse_07	Primary Role of the Unit
PUB_PCREVENTS	eResponse_15	Level of Care of This Unit
PUB_PCREVENTS	eResponse_23	Response Mode to Scene
PUB_PCREVENTS	eScene_01	First EMS Unit on Scene
PUB_PCREVENTS	eScene_06	Number of Patients at Scene

PUB_PCREVENTS	eScene_07	Mass Casualty Incident
PUB_PCREVENTS	eScene_08	Triage Classification for MCI Patient
PUB_PCREVENTS	eScene_09	Incident Location Type
PUB_PCREVENTS	eSituation_01	Date/Time of Symptom Onset
PUB_PCREVENTS	eSituation_02	Possible Injury
PUB_PCREVENTS	eSituation_07	Chief Complaint Anatomic Location
PUB_PCREVENTS	eSituation_08	Chief Complaint Organ System
PUB_PCREVENTS	eSituation_13	Initial Patient Acuity
PUB_PCREVENTS	eTimes_01	PSAP Call Date/Time
PUB_PCREVENTS	eTimes_03	Unit Notified by Dispatch Date/Time
PUB_PCREVENTS	eTimes_05	Unit En Route Date/Time
PUB_PCREVENTS	eTimes_06	Unit Arrived on Scene Date/Time
PUB_PCREVENTS	eTimes_07	Arrived at Patient Date/Time
PUB_PCREVENTS	eTimes_09	Unit Left Scene Date/Time
PUB_PCREVENTS	eTimes_11	Patient Arrived at Destination Date/Time
PUB_PCREVENTS	eTimes_12	Destination Patient Transfer of Care Date/Time
PUB_PCREVENTS	eTimes_13	Unit Back in Service Date/Time
PCRMEDCOMPGROUP	MedicationKey	Foreign key to match to Medication table
PCRMEDCOMPGROUP	PcrMedCompGroupKey	Primary Key for Medication Complication
PCRMEDCOMPGROUP	eMedications_08	Medication Complication
PCRPATIENTTRACEGROUP	PcrPatientRaceGroupKey	Primary Key for Patient Race
PCRPATIENTTRACEGROUP	ePatient_14	Race
PCRPATIENTTRACEGROUP	PcrKey	Primary Key for relational table
PCRPROCCOMPGROUP	PcrProcCompGroupKey	Primary Key for Procedure Complications
PCRPROCCOMPGROUP	ProcedureKey	Foreign key For Procedure table
PCRPROCCOMPGROUP	eProcedures_07	Procedure Complication
PCRVITALECGGROUP	PcrVitalECGGroupKey	Primary key for Vital ECG
PCRVITALECGGROUP	VitalKey	Foreign key For FactPcrVital table
PCRVITALECGGROUP	eVitals_03	Cardiac Rhythm / Electrocardiography (ECG)

PCRVITALECGINTERPRETATIONGROUP	PcrVitalECGInterpretationGroupKe	Primary key for Method of ECG Interpretation
PCRVITALECGINTERPRETATIONGROUP	VitalKey	Foreign key For FactPcrVital table
PCRVITALECGINTERPRETATIONGROUP	eVitals_05	Method of ECG Interpretation
PCRVITALGLASGOWQUALIFIERGROUP	PcrVitalECGGroupKey	Primary key for Glasgow Coma Score-Qualifier
PCRVITALGLASGOWQUALIFIERGROUP	VitalKey	Foreign key For FactPcrVital table
PCRVITALGLASGOWQUALIFIERGROUP	eVitals_22	Glasgow Coma Score-Qualifier
COMPUTEDELEMENTS	PcrKey	Primary Key for relational table
COMPUTEDELEMENTS	EMSDispatchCenterTimeSec	Difference in seconds between eTimes.03 and eTimes.01.
COMPUTEDELEMENTS	EMSSceneResponseTimeMin	Difference in minutes between eTimes.06 and eTimes.05
COMPUTEDELEMENTS	EMSSceneTimeMin	Difference in minutes between eTimes.06 and eTimes.09
COMPUTEDELEMENTS	EMSSceneToPatientTimeMin	Difference in minutes between eTimes.06 and eTimes.07
COMPUTEDELEMENTS	EMSSystemResponseTimeMin	Difference in minutes between eTimes.03 and eTimes.06
COMPUTEDELEMENTS	EMSTotalCallTimeMin	Difference in minutes between eTimes.13 and eTimes.03
COMPUTEDELEMENTS	EMSTransportTimeMin	Difference in minutes between eTimes.09 and eTimes.11
COMPUTEDELEMENTS	EMSChuteTimeMin	Difference in minutes between eTimes.03 and eTimes.05
COMPUTEDELEMENTS	USCensusDivision	US Census Bureau Divisions
COMPUTEDELEMENTS	USCensusRegion	US Census Bureau Regions
COMPUTEDELEMENTS	Urbanicity	Based on 2013 USDA Urban Influence Codes
COMPUTEDELEMENTS	Ageinyear	Age in years
COMPUTEDELEMENTS	NasemsoRegion	NASEMSO Regions

LIMITED USE VARIABLE DESCRIPTION LIST

This section includes the variable name and variable description for elements protected from public use in their native form. These variables can be made available as “de-identified data elements” (specified by the HIPAA Privacy Rule) by statistical manipulation to include masked anonymous value codes. Masked value codes can be grouped to address a specific hypothesis and made available to researchers through use of the master Primary Key (i.e., PcrKey) to link back to individual cases. Variable definitions and value codes can be found in the NEMSIS Data Dictionary (v.3.4.0) <https://nemsis.org/technical-resources/version-3/version-3-data-dictionaries/>.

Variable Name	Variable Description
eResponse_01	EMS Agency Number
eResponse_04	EMS Response Number
eResponse_14	EMS Unit Call Sign
ePatient_07	Patient's Home County
ePatient_08	Patient's Home State
ePatient_09	Patient's Home ZIP Code
eDisposition_05	Destination State
eDisposition_06	Destination County
eDisposition_07	Destination ZIP Code
eScene_18	Incident State
eScene_19	Incident ZIP Code
eScene_21	Incident County



APPENDIX B: OVERVIEW OF NATIONAL NEMSIS BUSINESS RULES BY NEMSIS ELEMENT

dAgency.02 - EMS Agency Number

Warning [EMS Agency Number](#) in the patient care report should match [EMS Agency Number](#) in the agency demographic information.

eResponse.01 - EMS Agency Number

Warning [EMS Agency Number](#) in the patient care report should match [EMS Agency Number](#) in the agency demographic information.

eTimes.03 - Unit Notified by Dispatch Date/Time

Warning [Date/Time of Event \(per Medical Device\)](#) should be no earlier than [Arrived at Patient Date/Time](#).

Warning [Date/Time of Event \(per Medical Device\)](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

Warning [Date/Time of Destination Prearrival Alert or Activation](#) should be no earlier than [Unit Notified by Dispatch Date/Time](#).

Warning [Date/Time of Destination Prearrival Alert or Activation](#) should be no later than [Destination Patient Transfer of Care Date/Time](#), [Unit Back in Service Date/Time](#), or [Unit Back at Home Location Date/Time](#).

Warning [Date/Time of Assessment](#) should be no earlier than [Arrived at Patient Date/Time](#).

Warning [Date/Time of Assessment](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

Warning [Date/Time of Laboratory or Imaging Result](#) should be no earlier than [Arrived at Patient Date/Time](#), unless [Study/Result Prior to this Unit's EMS Care](#) is "Yes".

Warning When [Study/Result Prior to this Unit's EMS Care](#) is "Yes," [Date/Time of Laboratory or Imaging Result](#) should be no later than [Arrived at Patient Date/Time](#).

Warning [Date/Time of Laboratory or Imaging Result](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

Warning [Date/Time Medication Administered](#) should be no earlier than [Arrived at Patient Date/Time](#),



unless [Medication Administered Prior to this Unit's EMS Care](#) is "Yes".

Warning When [Medication Administered Prior to this Unit's EMS Care](#) is "Yes," [Date/Time Medication Administered](#) should be no later than [Arrived at Patient Date/Time](#).

Warning [Date/Time Medication Administered](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

Warning [Date/Time Procedure Performed](#) should be no earlier than [Arrived at Patient Date/Time](#) or [Date/Time Initial Responder Arrived on Scene](#), unless [Procedure Performed Prior to this Unit's EMS Care](#) is "Yes".

Warning When [Procedure Performed Prior to this Unit's EMS Care](#) is "Yes," [Date/Time Procedure Performed](#) should be no later than [Arrived at Patient Date/Time](#).

Warning [Date/Time Procedure Performed](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

Warning [Date/Time Vital Signs Taken](#) should be no earlier than [Arrived at Patient Date/Time](#), unless [Obtained Prior to this Unit's EMS Care](#) is "Yes".

Warning When [Obtained Prior to this Unit's EMS Care](#) is "Yes," [Date/Time Vital Signs Taken](#) should be no later than [Arrived at Patient Date/Time](#).

Warning [Date/Time Vital Signs Taken](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

eTimes.04 - Dispatch Acknowledged Date/Time

Warning [Date/Time of Event \(per Medical Device\)](#) should be no earlier than [Arrived at Patient Date/Time](#).

Warning [Date/Time of Event \(per Medical Device\)](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

Warning [Date/Time of Destination Prearrival Alert or Activation](#) should be no earlier than [Unit Notified by Dispatch Date/Time](#).

Warning [Date/Time of Destination Prearrival Alert or Activation](#) should be no later than [Destination Patient Transfer of Care Date/Time](#), [Unit Back in Service Date/Time](#), or [Unit Back at Home Location Date/Time](#).

Warning [Date/Time of Assessment](#) should be no earlier than [Arrived at Patient Date/Time](#).

Warning [Date/Time of Assessment](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).



Warning Date/Time of Laboratory or Imaging Result should be no earlier than Arrived at Patient Date/Time, unless Study/Result Prior to this Unit's EMS Care is "Yes".

Warning When Study/Result Prior to this Unit's EMS Care is "Yes," Date/Time of Laboratory or Imaging Result should be no later than Arrived at Patient Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Medication Administered should be no earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

Warning When Medication Administered Prior to this Unit's EMS Care is "Yes," Date/Time Medication Administered should be no later than Arrived at Patient Date/Time.

Warning Date/Time Medication Administered should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Procedure Performed should be no earlier than Arrived at Patient Date/Time or Date/Time Initial Responder Arrived on Scene, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".

Warning When Procedure Performed Prior to this Unit's EMS Care is "Yes," Date/Time Procedure Performed should be no later than Arrived at Patient Date/Time.

Warning Date/Time Procedure Performed should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Vital Signs Taken should be no earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".

Warning When Obtained Prior to this Unit's EMS Care is "Yes," Date/Time Vital Signs Taken should be no later than Arrived at Patient Date/Time.

Warning Date/Time Vital Signs Taken should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

eTimes.05 - Unit En Route Date/Time

Error Based on Incident/Patient Disposition, the following should be recorded: (EMS Transport Method, Transport Mode from Scene, Reason for Choosing Destination, Type of Destination)

Warning Based on Incident/Patient Disposition, the following should be recorded: (Reason CPR/Resuscitation Discontinued, Destination State, Destination County, Destination ZIP Code, Final Patient Acuity, Patient's Home County, Patient's Home State, Patient's Home ZIP Code, Gender, Race, Age, Age Units, Primary Method of Payment, Incident Location)



Type, Possible Injury, Chief Complaint Anatomic Location, Chief Complaint Organ System, Primary Symptom, Provider's Primary Impression, Initial Patient Acuity, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Unit Left Scene Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time)

Warning Date/Time of Event (per Medical Device) should be no earlier than Arrived at Patient Date/Time.

Warning Date/Time of Event (per Medical Device) should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time of Destination Prearrival Alert or Activation should be no earlier than Unit Notified by Dispatch Date/Time.

Warning Date/Time of Destination Prearrival Alert or Activation should be no later than Destination Patient Transfer of Care Date/Time, Unit Back in Service Date/Time, or Unit Back at Home Location Date/Time.

Warning Date/Time of Assessment should be no earlier than Arrived at Patient Date/Time.

Warning Date/Time of Assessment should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no earlier than Arrived at Patient Date/Time, unless Study/Result Prior to this Unit's EMS Care is "Yes".

Warning When Study/Result Prior to this Unit's EMS Care is "Yes," Date/Time of Laboratory or Imaging Result should be no later than Arrived at Patient Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Medication Administered should be no earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

Warning When Medication Administered Prior to this Unit's EMS Care is "Yes," Date/Time Medication Administered should be no later than Arrived at Patient Date/Time.

Warning Date/Time Medication Administered should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Procedure Performed should be no earlier than Arrived at Patient Date/Time or Date/Time Initial Responder Arrived on Scene, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".



Warning When Procedure Performed Prior to this Unit's EMS Care is "Yes," Date/Time Procedure Performed should be no later than Arrived at Patient Date/Time.

Warning Date/Time Procedure Performed should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Vital Signs Taken should be no earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".

Warning When Obtained Prior to this Unit's EMS Care is "Yes," Date/Time Vital Signs Taken should be no later than Arrived at Patient Date/Time.

Warning Date/Time Vital Signs Taken should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

eTimes.06 - Unit Arrived on Scene Date/Time

Error Based on Incident/Patient Disposition, the following should be recorded: (EMS Transport Method, Transport Mode from Scene, Reason for Choosing Destination, Type of Destination)

Warning Based on Incident/Patient Disposition, the following should be recorded: (Reason CPR/Resuscitation Discontinued, Destination State, Destination County, Destination ZIP Code, Final Patient Acuity, Patient's Home County, Patient's Home State, Patient's Home ZIP Code, Gender, Race, Age, Age Units, Primary Method of Payment, Incident Location Type, Possible Injury, Chief Complaint Anatomic Location, Chief Complaint Organ System, Primary Symptom, Provider's Primary Impression, Initial Patient Acuity, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Unit Left Scene Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time)

Warning Date/Time of Event (per Medical Device) should be no earlier than Arrived at Patient Date/Time.

Warning Date/Time of Event (per Medical Device) should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time of Destination Prearrival Alert or Activation should be no earlier than Unit Notified by Dispatch Date/Time.

Warning Date/Time of Destination Prearrival Alert or Activation should be no later than Destination Patient Transfer of Care Date/Time, Unit Back in Service Date/Time, or Unit Back at Home Location Date/Time.

Warning Date/Time of Assessment should be no earlier than Arrived at Patient Date/Time.



Warning Date/Time of Assessment should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no earlier than Arrived at Patient Date/Time, unless Study/Result Prior to this Unit's EMS Care is "Yes".

Warning When Study/Result Prior to this Unit's EMS Care is "Yes," Date/Time of Laboratory or Imaging Result should be no later than Arrived at Patient Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Medication Administered should be no earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

Warning When Medication Administered Prior to this Unit's EMS Care is "Yes," Date/Time Medication Administered should be no later than Arrived at Patient Date/Time.

Warning Date/Time Medication Administered should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Procedure Performed should be no earlier than Arrived at Patient Date/Time or Date/Time Initial Responder Arrived on Scene, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".

Warning When Procedure Performed Prior to this Unit's EMS Care is "Yes," Date/Time Procedure Performed should be no later than Arrived at Patient Date/Time.

Warning Date/Time Procedure Performed should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Vital Signs Taken should be no earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".

Warning When Obtained Prior to this Unit's EMS Care is "Yes," Date/Time Vital Signs Taken should be no later than Arrived at Patient Date/Time.

Warning Date/Time Vital Signs Taken should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

eTimes.07 - Arrived at Patient Date/Time

Error Based on Incident/Patient Disposition, the following should be recorded: (EMS Transport Method, Transport Mode from Scene, Reason for Choosing Destination, Type of Destination)

Warning Based on Incident/Patient Disposition, the following should be recorded: (Reason



CPR/Resuscitation Discontinued, Destination State, Destination County, Destination ZIP Code, Final Patient Acuity, Patient's Home County, Patient's Home State, Patient's Home ZIP Code, Gender, Race, Age, Age Units, Primary Method of Payment, Incident Location Type, Possible Injury, Chief Complaint Anatomic Location, Chief Complaint Organ System, Primary Symptom, Provider's Primary Impression, Initial Patient Acuity, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Unit Left Scene Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time)

Warning Date/Time of Event (per Medical Device) should be no earlier than Arrived at Patient Date/Time.

Warning Date/Time of Event (per Medical Device) should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time of Destination Prearrival Alert or Activation should be no earlier than Unit Notified by Dispatch Date/Time.

Warning Date/Time of Destination Prearrival Alert or Activation should be no later than Destination Patient Transfer of Care Date/Time, Unit Back in Service Date/Time, or Unit Back at Home Location Date/Time.

Warning Date/Time of Assessment should be no earlier than Arrived at Patient Date/Time.

Warning Date/Time of Assessment should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no earlier than Arrived at Patient Date/Time, unless Study/Result Prior to this Unit's EMS Care is "Yes".

Warning When Study/Result Prior to this Unit's EMS Care is "Yes," Date/Time of Laboratory or Imaging Result should be no later than Arrived at Patient Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Medication Administered should be no earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

Warning When Medication Administered Prior to this Unit's EMS Care is "Yes," Date/Time Medication Administered should be no later than Arrived at Patient Date/Time.

Warning Date/Time Medication Administered should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.



Warning Date/Time Procedure Performed should be no earlier than Arrived at Patient Date/Time or Date/Time Initial Responder Arrived on Scene, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".

Warning When Procedure Performed Prior to this Unit's EMS Care is "Yes," Date/Time Procedure Performed should be no later than Arrived at Patient Date/Time.

Warning Date/Time Procedure Performed should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Vital Signs Taken should be no earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".

Warning When Obtained Prior to this Unit's EMS Care is "Yes," Date/Time Vital Signs Taken should be no later than Arrived at Patient Date/Time.

Warning Date/Time Vital Signs Taken should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

eTimes.08 - Transfer of EMS Patient Care Date/Time

Warning Date/Time of Event (per Medical Device) should be no earlier than Arrived at Patient Date/Time.

Warning Date/Time of Event (per Medical Device) should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time of Destination Prearrival Alert or Activation should be no earlier than Unit Notified by Dispatch Date/Time.

Warning Date/Time of Destination Prearrival Alert or Activation should be no later than Destination Patient Transfer of Care Date/Time, Unit Back in Service Date/Time, or Unit Back at Home Location Date/Time.

Warning Date/Time of Assessment should be no earlier than Arrived at Patient Date/Time.

Warning Date/Time of Assessment should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no earlier than Arrived at Patient Date/Time, unless Study/Result Prior to this Unit's EMS Care is "Yes".

Warning When Study/Result Prior to this Unit's EMS Care is "Yes," Date/Time of Laboratory or Imaging Result should be no later than Arrived at Patient Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no later than Transfer of EMS Patient



Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Medication Administered should be no earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

Warning When Medication Administered Prior to this Unit's EMS Care is "Yes," Date/Time Medication Administered should be no later than Arrived at Patient Date/Time.

Warning Date/Time Medication Administered should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Procedure Performed should be no earlier than Arrived at Patient Date/Time or Date/Time Initial Responder Arrived on Scene, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".

Warning When Procedure Performed Prior to this Unit's EMS Care is "Yes," Date/Time Procedure Performed should be no later than Arrived at Patient Date/Time.

Warning Date/Time Procedure Performed should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Vital Signs Taken should be no earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".

Warning When Obtained Prior to this Unit's EMS Care is "Yes," Date/Time Vital Signs Taken should be no later than Arrived at Patient Date/Time.

Warning Date/Time Vital Signs Taken should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

eTimes.09 - Unit Left Scene Date/Time

Error Based on Incident/Patient Disposition, the following should be recorded: (EMS Transport Method, Transport Mode from Scene, Reason for Choosing Destination, Type of Destination)

Warning Based on Incident/Patient Disposition, the following should be recorded: (Reason CPR/Resuscitation Discontinued, Destination State, Destination County, Destination ZIP Code, Final Patient Acuity, Patient's Home County, Patient's Home State, Patient's Home ZIP Code, Gender, Race, Age, Age Units, Primary Method of Payment, Incident Location Type, Possible Injury, Chief Complaint Anatomic Location, Chief Complaint Organ System, Primary Symptom, Provider's Primary Impression, Initial Patient Acuity, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Unit Left Scene Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time)

eTimes.11 - Patient Arrived at Destination Date/Time



Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

eTimes.12 - Destination Patient Transfer of Care Date/Time

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

Warning [Date/Time of Event \(per Medical Device\)](#) should be no earlier than [Arrived at Patient Date/Time](#).

Warning [Date/Time of Event \(per Medical Device\)](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

Warning [Date/Time of Destination Prearrival Alert or Activation](#) should be no earlier than [Unit Notified by Dispatch Date/Time](#).

Warning [Date/Time of Destination Prearrival Alert or Activation](#) should be no later than [Destination Patient Transfer of Care Date/Time](#), [Unit Back in Service Date/Time](#), or [Unit Back at Home Location Date/Time](#).

Warning [Date/Time of Assessment](#) should be no earlier than [Arrived at Patient Date/Time](#).

Warning [Date/Time of Assessment](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).



Warning Date/Time of Laboratory or Imaging Result should be no earlier than Arrived at Patient Date/Time, unless Study/Result Prior to this Unit's EMS Care is "Yes".

Warning When Study/Result Prior to this Unit's EMS Care is "Yes," Date/Time of Laboratory or Imaging Result should be no later than Arrived at Patient Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Medication Administered should be no earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

Warning When Medication Administered Prior to this Unit's EMS Care is "Yes," Date/Time Medication Administered should be no later than Arrived at Patient Date/Time.

Warning Date/Time Medication Administered should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Procedure Performed should be no earlier than Arrived at Patient Date/Time or Date/Time Initial Responder Arrived on Scene, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".

Warning When Procedure Performed Prior to this Unit's EMS Care is "Yes," Date/Time Procedure Performed should be no later than Arrived at Patient Date/Time.

Warning Date/Time Procedure Performed should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Vital Signs Taken should be no earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".

Warning When Obtained Prior to this Unit's EMS Care is "Yes," Date/Time Vital Signs Taken should be no later than Arrived at Patient Date/Time.

Warning Date/Time Vital Signs Taken should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

eTimes.13 - Unit Back in Service Date/Time

Warning Date/Time of Event (per Medical Device) should be no earlier than Arrived at Patient Date/Time.

Warning Date/Time of Event (per Medical Device) should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time of Destination Prearrival Alert or Activation should be no earlier than Unit Notified



by Dispatch Date/Time.

Warning Date/Time of Destination Prearrival Alert or Activation should be no later than Destination Patient Transfer of Care Date/Time, Unit Back in Service Date/Time, or Unit Back at Home Location Date/Time.

Warning Date/Time of Assessment should be no earlier than Arrived at Patient Date/Time.

Warning Date/Time of Assessment should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no earlier than Arrived at Patient Date/Time, unless Study/Result Prior to this Unit's EMS Care is "Yes".

Warning When Study/Result Prior to this Unit's EMS Care is "Yes," Date/Time of Laboratory or Imaging Result should be no later than Arrived at Patient Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Medication Administered should be no earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

Warning When Medication Administered Prior to this Unit's EMS Care is "Yes," Date/Time Medication Administered should be no later than Arrived at Patient Date/Time.

Warning Date/Time Medication Administered should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Procedure Performed should be no earlier than Arrived at Patient Date/Time or Date/Time Initial Responder Arrived on Scene, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".

Warning When Procedure Performed Prior to this Unit's EMS Care is "Yes," Date/Time Procedure Performed should be no later than Arrived at Patient Date/Time.

Warning Date/Time Procedure Performed should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Vital Signs Taken should be no earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".

Warning When Obtained Prior to this Unit's EMS Care is "Yes," Date/Time Vital Signs Taken should be no later than Arrived at Patient Date/Time.

Warning Date/Time Vital Signs Taken should be no later than Transfer of EMS Patient Care



Date/Time or Destination Patient Transfer of Care Date/Time.

eTimes.15 - Unit Back at Home Location Date/Time

Warning Date/Time of Event (per Medical Device) should be no earlier than Arrived at Patient Date/Time.

Warning Date/Time of Event (per Medical Device) should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time of Destination Prearrival Alert or Activation should be no earlier than Unit Notified by Dispatch Date/Time.

Warning Date/Time of Destination Prearrival Alert or Activation should be no later than Destination Patient Transfer of Care Date/Time, Unit Back in Service Date/Time, or Unit Back at Home Location Date/Time.

Warning Date/Time of Assessment should be no earlier than Arrived at Patient Date/Time.

Warning Date/Time of Assessment should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no earlier than Arrived at Patient Date/Time, unless Study/Result Prior to this Unit's EMS Care is "Yes".

Warning When Study/Result Prior to this Unit's EMS Care is "Yes," Date/Time of Laboratory or Imaging Result should be no later than Arrived at Patient Date/Time.

Warning Date/Time of Laboratory or Imaging Result should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Medication Administered should be no earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

Warning When Medication Administered Prior to this Unit's EMS Care is "Yes," Date/Time Medication Administered should be no later than Arrived at Patient Date/Time.

Warning Date/Time Medication Administered should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

Warning Date/Time Procedure Performed should be no earlier than Arrived at Patient Date/Time or Date/Time Initial Responder Arrived on Scene, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".

Warning When Procedure Performed Prior to this Unit's EMS Care is "Yes," Date/Time Procedure Performed should be no later than Arrived at Patient Date/Time.



Warning [Date/Time Procedure Performed](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

ePatient.07 - Patient's Home County

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

Warning [Patient's Home County](#) should belong within the [Patient's Home State](#).

ePatient.08 - Patient's Home State

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

Warning [Patient's Home County](#) should belong within the [Patient's Home State](#).

ePatient.09 - Patient's Home ZIP Code

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location](#))



Type, Possible Injury, Chief Complaint Anatomic Location, Chief Complaint Organ System, Primary Symptom, Provider's Primary Impression, Initial Patient Acuity, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Unit Left Scene Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time)

ePatient.13 - Gender

Error Based on Incident/Patient Disposition, the following should be recorded: (EMS Transport Method, Transport Mode from Scene, Reason for Choosing Destination, Type of Destination)

Warning Based on Incident/Patient Disposition, the following should be recorded: (Reason CPR/Resuscitation Discontinued, Destination State, Destination County, Destination ZIP Code, Final Patient Acuity, Patient's Home County, Patient's Home State, Patient's Home ZIP Code, Gender, Race, Age, Age Units, Primary Method of Payment, Incident Location Type, Possible Injury, Chief Complaint Anatomic Location, Chief Complaint Organ System, Primary Symptom, Provider's Primary Impression, Initial Patient Acuity, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Unit Left Scene Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time)

ePatient.14 - Race

Error Based on Incident/Patient Disposition, the following should be recorded: (EMS Transport Method, Transport Mode from Scene, Reason for Choosing Destination, Type of Destination)

Warning Based on Incident/Patient Disposition, the following should be recorded: (Reason CPR/Resuscitation Discontinued, Destination State, Destination County, Destination ZIP Code, Final Patient Acuity, Patient's Home County, Patient's Home State, Patient's Home ZIP Code, Gender, Race, Age, Age Units, Primary Method of Payment, Incident Location Type, Possible Injury, Chief Complaint Anatomic Location, Chief Complaint Organ System, Primary Symptom, Provider's Primary Impression, Initial Patient Acuity, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Unit Left Scene Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time)

ePatient.AgeGroup - Age

Error Based on Incident/Patient Disposition, the following should be recorded: (EMS Transport Method, Transport Mode from Scene, Reason for Choosing Destination, Type of Destination)

Warning Based on Incident/Patient Disposition, the following should be recorded: (Reason CPR/Resuscitation Discontinued, Destination State, Destination County, Destination ZIP Code, Final Patient Acuity, Patient's Home County, Patient's Home State, Patient's Home ZIP Code, Gender, Race, Age, Age Units, Primary Method of Payment, Incident Location)



[Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

ePatient.15 - Age

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

Warning When [Age](#) is recorded, [Age Units](#) should be recorded.

ePatient.16 - Age Units

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

Warning When [Age](#) is recorded, [Age Units](#) should be recorded.

ePayment.01 - Primary Method of Payment

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))



Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

eScene.05 - Date/Time Initial Responder Arrived on Scene

Warning Date/Times should be in order. The following times are too early: ([Date/Time Decision to Manage the Patient with an Invasive Airway](#), [Date/Time Invasive Airway Placement Attempts Abandoned](#), [Date/Time of Hospital Admission](#), [Date/Time of Hospital Discharge](#), [Dispatch Notified Date/Time](#), [Unit Notified by Dispatch Date/Time](#), [Dispatch Acknowledged Date/Time](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Transfer of EMS Patient Care Date/Time](#), [Unit Left Scene Date/Time](#), [Arrival at Destination Landing Area Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#), [Unit Back in Service Date/Time](#), [Unit Canceled Date/Time](#), [Unit Back at Home Location Date/Time](#), [EMS Call Completed Date/Time](#))

Warning Date/Times should not be in the future (the current time according to this system is *format-dateTime(current-dateTime(), '[MNN] [D1], [Y0001], [H01]:[m01] [ZN]')*). The following times are too late: ([Unit Back in Service Date/Time](#) current, [Unit Back at Home Location Date/Time](#) current, [EMS Call Completed Date/Time](#) current)

Warning [Date/Time of Event \(per Medical Device\)](#) should be no earlier than [Arrived at Patient Date/Time](#).

Warning [Date/Time of Event \(per Medical Device\)](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

Warning [Date/Time of Destination Prearrival Alert or Activation](#) should be no earlier than [Unit Notified by Dispatch Date/Time](#).

Warning [Date/Time of Destination Prearrival Alert or Activation](#) should be no later than [Destination Patient Transfer of Care Date/Time](#), [Unit Back in Service Date/Time](#), or [Unit Back at Home Location Date/Time](#).

Warning [Date/Time of Assessment](#) should be no earlier than [Arrived at Patient Date/Time](#).

Warning [Date/Time of Assessment](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).



Warning [Date/Time of Laboratory or Imaging Result](#) should be no earlier than [Arrived at Patient Date/Time](#), unless [Study/Result Prior to this Unit's EMS Care](#) is "Yes".

Warning When [Study/Result Prior to this Unit's EMS Care](#) is "Yes," [Date/Time of Laboratory or Imaging Result](#) should be no later than [Arrived at Patient Date/Time](#).

Warning [Date/Time of Laboratory or Imaging Result](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

Warning [Date/Time Medication Administered](#) should be no earlier than [Arrived at Patient Date/Time](#), unless [Medication Administered Prior to this Unit's EMS Care](#) is "Yes".

Warning When [Medication Administered Prior to this Unit's EMS Care](#) is "Yes," [Date/Time Medication Administered](#) should be no later than [Arrived at Patient Date/Time](#).

Warning [Date/Time Medication Administered](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

Warning [Date/Time Procedure Performed](#) should be no earlier than [Arrived at Patient Date/Time](#) or [Date/Time Initial Responder Arrived on Scene](#), unless [Procedure Performed Prior to this Unit's EMS Care](#) is "Yes".

Warning When [Procedure Performed Prior to this Unit's EMS Care](#) is "Yes," [Date/Time Procedure Performed](#) should be no later than [Arrived at Patient Date/Time](#).

Warning [Date/Time Procedure Performed](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

Warning [Date/Time Vital Signs Taken](#) should be no earlier than [Arrived at Patient Date/Time](#), unless [Obtained Prior to this Unit's EMS Care](#) is "Yes".

Warning When [Obtained Prior to this Unit's EMS Care](#) is "Yes," [Date/Time Vital Signs Taken](#) should be no later than [Arrived at Patient Date/Time](#).

Warning [Date/Time Vital Signs Taken](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

eScene.06 - Number of Patients at Scene

Warning When [Mass Casualty Incident](#) is "Yes", [Number of Patients at Scene](#) should be "Multiple".

Warning When [Mass Casualty Incident](#) is "Yes", [Triage Classification for MCI Patient](#) should be recorded.

eScene.07 - Mass Casualty Incident



Warning When [Mass Casualty Incident](#) is "Yes", [Number of Patients at Scene](#) should be "Multiple".

Warning When [Mass Casualty Incident](#) is "Yes", [Triage Classification for MCI Patient](#) should be recorded.

eScene.08 - Triage Classification for MCI Patient

Warning When [Mass Casualty Incident](#) is "Yes", [Number of Patients at Scene](#) should be "Multiple".

Warning When [Mass Casualty Incident](#) is "Yes", [Triage Classification for MCI Patient](#) should be recorded.

eScene.09 - Incident Location Type

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

eScene.18 - Incident State

Warning [Incident County](#) should belong within the [Incident State](#).

eScene.21 - Incident County

Warning [Incident County](#) should belong within the [Incident State](#).

eSituation.01 - Date/Time of Symptom Onset

Warning Date/Times should be in order. The following times are too early: ([Date/Time Decision to Manage the Patient with an Invasive Airway](#), [Date/Time Invasive Airway Placement Attempts Abandoned](#), [Date/Time of Hospital Admission](#), [Date/Time of Hospital Discharge](#), [Dispatch Notified Date/Time](#), [Unit Notified by Dispatch Date/Time](#), [Dispatch Acknowledged Date/Time](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Transfer of EMS Patient Care Date/Time](#), [Unit Left Scene Date/Time](#), [Arrival at Destination Landing Area Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#), [Unit Back in Service Date/Time](#), [Unit Canceled Date/Time](#), [Unit Back at Home Location Date/Time](#), [EMS Call Completed Date/Time](#))



Warning Date/Times should not be in the future (the current time according to this system is *format-dateTime(currentDateTime(), '[MNN] [D1], [Y0001], [H01]:[m01] [ZN]')*). The following times are too late: ([Unit Back in Service Date/Time](#) *current*, [Unit Back at Home Location Date/Time](#) *current*, [EMS Call Completed Date/Time](#) *current*)

eSituation.02 - Possible Injury

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

Warning When [Possible Injury](#) is "Yes", the following information related to injury should be recorded: ([Cause of Injury](#))

Warning Information related to injury should be recorded only when [Possible Injury](#) is "Yes".

Warning When a symptom or impression is injury-related, [Possible Injury](#) should be "Yes".

eSituation.07 - Chief Complaint Anatomic Location

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

eSituation.08 - Chief Complaint Organ System

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport](#)



[Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

eSituation.09 - Primary Symptom

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

Warning When [Primary Symptom](#) is empty, [Other Associated Symptoms](#) should not be recorded.

Warning When a symptom or impression is injury-related, [Possible Injury](#) should be "Yes".

eSituation.10 - Other Associated Symptoms

Warning When [Primary Symptom](#) is empty, [Other Associated Symptoms](#) should not be recorded.

Warning When a symptom or impression is injury-related, [Possible Injury](#) should be "Yes".

eSituation.11 - Provider's Primary Impression

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location](#))



Type, Possible Injury, Chief Complaint Anatomic Location, Chief Complaint Organ System, Primary Symptom, Provider's Primary Impression, Initial Patient Acuity, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Unit Left Scene Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time)

Warning When Provider's Primary Impression is empty, Provider's Secondary Impressions should not be recorded.

Warning When a symptom or impression is injury-related, Possible Injury should be "Yes".

eSituation.12 - Provider's Secondary Impressions

Warning When Provider's Primary Impression is empty, Provider's Secondary Impressions should not be recorded.

Warning When a symptom or impression is injury-related, Possible Injury should be "Yes".

eSituation.13 - Initial Patient Acuity

Error Based on Incident/Patient Disposition, the following should be recorded: (EMS Transport Method, Transport Mode from Scene, Reason for Choosing Destination, Type of Destination)

Warning Based on Incident/Patient Disposition, the following should be recorded: (Reason CPR/Resuscitation Discontinued, Destination State, Destination County, Destination ZIP Code, Final Patient Acuity, Patient's Home County, Patient's Home State, Patient's Home ZIP Code, Gender, Race, Age, Age Units, Primary Method of Payment, Incident Location Type, Possible Injury, Chief Complaint Anatomic Location, Chief Complaint Organ System, Primary Symptom, Provider's Primary Impression, Initial Patient Acuity, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Unit Left Scene Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time)

eSituation.18 - Date/Time Last Known Well

Warning Date/Times should be in order. The following times are too early: (Date/Time Decision to Manage the Patient with an Invasive Airway, Date/Time Invasive Airway Placement Attempts Abandoned, Date/Time of Hospital Admission, Date/Time of Hospital Discharge, Dispatch Notified Date/Time, Unit Notified by Dispatch Date/Time, Dispatch Acknowledged Date/Time, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Transfer of EMS Patient Care Date/Time, Unit Left Scene Date/Time, Arrival at Destination Landing Area Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time, Unit Back in Service Date/Time, Unit Canceled Date/Time, Unit Back at Home Location Date/Time, EMS Call Completed Date/Time)



Warning Date/Times should not be in the future (the current time according to this system is *format-dateTime(current-dateTime(), '[MNn] [D1], [Y0001], [H01]:[m01] [ZN]')*). The following times are too late: ([Unit Back in Service Date/Time](#) *current*, [Unit Back at Home Location Date/Time](#) *current*, [EMS Call Completed Date/Time](#) *current*)

eInjury.01 - Cause of Injury

Warning When [Possible Injury](#) is "Yes", the following information related to injury should be recorded: ([Cause of Injury](#))

eInjury.CollisionGroup - ACN System/Company Providing ACN Data

Warning Date/Times should be in order. The following times are too early: ([Date/Time Decision to Manage the Patient with an Invasive Airway](#), [Date/Time Invasive Airway Placement Attempts Abandoned](#), [Date/Time of Hospital Admission](#), [Date/Time of Hospital Discharge](#), [Dispatch Notified Date/Time](#), [Unit Notified by Dispatch Date/Time](#), [Dispatch Acknowledged Date/Time](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Transfer of EMS Patient Care Date/Time](#), [Unit Left Scene Date/Time](#), [Arrival at Destination Landing Area Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#), [Unit Back in Service Date/Time](#), [Unit Canceled Date/Time](#), [Unit Back at Home Location Date/Time](#), [EMS Call Completed Date/Time](#))

Warning Date/Times should not be in the future (the current time according to this system is *format-dateTime(current-dateTime(), '[MNn] [D1], [Y0001], [H01]:[m01] [ZN]')*). The following times are too late: ([Unit Back in Service Date/Time](#) *current*, [Unit Back at Home Location Date/Time](#) *current*, [EMS Call Completed Date/Time](#) *current*)

eInjury.14 - Date/Time of ACN Incident

Warning Date/Times should be in order. The following times are too early: ([Date/Time Decision to Manage the Patient with an Invasive Airway](#), [Date/Time Invasive Airway Placement Attempts Abandoned](#), [Date/Time of Hospital Admission](#), [Date/Time of Hospital Discharge](#), [Dispatch Notified Date/Time](#), [Unit Notified by Dispatch Date/Time](#), [Dispatch Acknowledged Date/Time](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Transfer of EMS Patient Care Date/Time](#), [Unit Left Scene Date/Time](#), [Arrival at Destination Landing Area Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#), [Unit Back in Service Date/Time](#), [Unit Canceled Date/Time](#), [Unit Back at Home Location Date/Time](#), [EMS Call Completed Date/Time](#))

Warning Date/Times should not be in the future (the current time according to this system is *format-dateTime(current-dateTime(), '[MNn] [D1], [Y0001], [H01]:[m01] [ZN]')*). The following times are too late: ([Unit Back in Service Date/Time](#) *current*, [Unit Back at Home Location Date/Time](#) *current*, [EMS Call Completed Date/Time](#) *current*)

eArrest.01 - Cardiac Arrest



Warning When [Cardiac Arrest](#) is "Yes", the following information related to cardiac arrest and resuscitation should be recorded: ([Cardiac Arrest Etiology](#), [Resuscitation Attempted By EMS](#), [Arrest Witnessed By](#), [CPR Care Provided Prior to EMS Arrival](#), [AED Use Prior to EMS Arrival](#), [Cardiac Rhythm on Arrival at Destination](#))

Warning Information related to cardiac arrest and resuscitation should be recorded only when [Cardiac Arrest](#) is "Yes".

eArrest.02 - Cardiac Arrest Etiology

Warning When [Cardiac Arrest](#) is "Yes", the following information related to cardiac arrest and resuscitation should be recorded: ([Cardiac Arrest Etiology](#), [Resuscitation Attempted By EMS](#), [Arrest Witnessed By](#), [CPR Care Provided Prior to EMS Arrival](#), [AED Use Prior to EMS Arrival](#), [Cardiac Rhythm on Arrival at Destination](#))

eArrest.03 - Resuscitation Attempted By EMS

Warning When [Cardiac Arrest](#) is "Yes", the following information related to cardiac arrest and resuscitation should be recorded: ([Cardiac Arrest Etiology](#), [Resuscitation Attempted By EMS](#), [Arrest Witnessed By](#), [CPR Care Provided Prior to EMS Arrival](#), [AED Use Prior to EMS Arrival](#), [Cardiac Rhythm on Arrival at Destination](#))

Warning [Resuscitation Attempted By EMS](#) should not contain both "Attempted/Initiated..." and "Not Attempted..." in the same record.

Warning When [Resuscitation Attempted By EMS](#) contains "Initiated Chest Compressions", [Type of CPR Provided](#) should contain "Compressions...".

Warning When [Resuscitation Attempted By EMS](#) contains "Attempted Ventilation", [Type of CPR Provided](#) should contain "Ventilation...".

Warning When [Type of CPR Provided](#) contains "Compressions...", [Resuscitation Attempted By EMS](#) should contain "Initiated Chest Compressions".

Warning When [Type of CPR Provided](#) contains "Ventilation...", [Resuscitation Attempted By EMS](#) should contain "Attempted Ventilation".

eArrest.04 - Arrest Witnessed By

Warning When [Cardiac Arrest](#) is "Yes", the following information related to cardiac arrest and resuscitation should be recorded: ([Cardiac Arrest Etiology](#), [Resuscitation Attempted By EMS](#), [Arrest Witnessed By](#), [CPR Care Provided Prior to EMS Arrival](#), [AED Use Prior to EMS Arrival](#), [Cardiac Rhythm on Arrival at Destination](#))

eArrest.05 - CPR Care Provided Prior to EMS Arrival



Warning When [Cardiac Arrest](#) is "Yes", the following information related to cardiac arrest and resuscitation should be recorded: ([Cardiac Arrest Etiology](#), [Resuscitation Attempted By EMS](#), [Arrest Witnessed By](#), [CPR Care Provided Prior to EMS Arrival](#), [AED Use Prior to EMS Arrival](#), [Cardiac Rhythm on Arrival at Destination](#))

eArrest.07 - AED Use Prior to EMS Arrival

Warning When [Cardiac Arrest](#) is "Yes", the following information related to cardiac arrest and resuscitation should be recorded: ([Cardiac Arrest Etiology](#), [Resuscitation Attempted By EMS](#), [Arrest Witnessed By](#), [CPR Care Provided Prior to EMS Arrival](#), [AED Use Prior to EMS Arrival](#), [Cardiac Rhythm on Arrival at Destination](#))

eArrest.09 - Type of CPR Provided

Warning When [Resuscitation Attempted By EMS](#) contains "Initiated Chest Compressions", [Type of CPR Provided](#) should contain "Compressions..." .

Warning When [Resuscitation Attempted By EMS](#) contains "Attempted Ventilation", [Type of CPR Provided](#) should contain "Ventilation..." .

Warning When [Type of CPR Provided](#) contains "Compressions...", [Resuscitation Attempted By EMS](#) should contain "Initiated Chest Compressions".

Warning When [Type of CPR Provided](#) contains "Ventilation...", [Resuscitation Attempted By EMS](#) should contain "Attempted Ventilation".

eArrest.14 - Date/Time of Cardiac Arrest

Warning Date/Times should be in order. The following times are too early: ([Date/Time Decision to Manage the Patient with an Invasive Airway](#), [Date/Time Invasive Airway Placement Attempts Abandoned](#), [Date/Time of Hospital Admission](#), [Date/Time of Hospital Discharge](#), [Dispatch Notified Date/Time](#), [Unit Notified by Dispatch Date/Time](#), [Dispatch Acknowledged Date/Time](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Transfer of EMS Patient Care Date/Time](#), [Unit Left Scene Date/Time](#), [Arrival at Destination Landing Area Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#), [Unit Back in Service Date/Time](#), [Unit Canceled Date/Time](#), [Unit Back at Home Location Date/Time](#), [EMS Call Completed Date/Time](#))

Warning Date/Times should not be in the future (the current time according to this system is `formatDateTime(current-dateTime(), '[MNn] [D1], [Y0001], [H01]:[m01] [ZN]')`). The following times are too late: ([Unit Back in Service Date/Time](#) `_current`, [Unit Back at Home Location Date/Time](#) `_current`, [EMS Call Completed Date/Time](#) `_current`)

eArrest.15 - Date/Time Resuscitation Discontinued



Warning Date/Times should be in order. The following times are too early: ([Date/Time Decision to Manage the Patient with an Invasive Airway](#), [Date/Time Invasive Airway Placement Attempts Abandoned](#), [Date/Time of Hospital Admission](#), [Date/Time of Hospital Discharge](#), [Dispatch Notified Date/Time](#), [Unit Notified by Dispatch Date/Time](#), [Dispatch Acknowledged Date/Time](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Transfer of EMS Patient Care Date/Time](#), [Unit Left Scene Date/Time](#), [Arrival at Destination Landing Area Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#), [Unit Back in Service Date/Time](#), [Unit Canceled Date/Time](#), [Unit Back at Home Location Date/Time](#), [EMS Call Completed Date/Time](#))

Warning Date/Times should not be in the future (the current time according to this system is `formatDateTime(current-dateTime(), '[MNn] [D1], [Y0001], [H01]:[m01] [ZN]')`). The following times are too late: ([Unit Back in Service Date/Time](#) current, [Unit Back at Home Location Date/Time](#) current, [EMS Call Completed Date/Time](#) current)

eArrest.16 - Reason CPR/Resuscitation Discontinued

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

eArrest.17 - Cardiac Rhythm on Arrival at Destination

Warning When [Cardiac Arrest](#) is "Yes", the following information related to cardiac arrest and resuscitation should be recorded: ([Cardiac Arrest Etiology](#), [Resuscitation Attempted By EMS](#), [Arrest Witnessed By](#), [CPR Care Provided Prior to EMS Arrival](#), [AED Use Prior to EMS Arrival](#), [Cardiac Rhythm on Arrival at Destination](#))

eArrest.19 - Date/Time of Initial CPR

Warning Date/Times should be in order. The following times are too early: ([Date/Time Decision to Manage the Patient with an Invasive Airway](#), [Date/Time Invasive Airway Placement Attempts Abandoned](#), [Date/Time of Hospital Admission](#), [Date/Time of Hospital Discharge](#), [Dispatch Notified Date/Time](#), [Unit Notified by Dispatch Date/Time](#), [Dispatch Acknowledged Date/Time](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Transfer of EMS Patient Care Date/Time](#), [Unit Left Scene Date/Time](#), [Arrival at](#)



Destination Landing Area Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time, Unit Back in Service Date/Time, Unit Canceled Date/Time, Unit Back at Home Location Date/Time, EMS Call Completed Date/Time)

Warning Date/Times should not be in the future (the current time according to this system is *format-dateTime(current-dateTime(), '[MNn] [D1], [Y0001], [H01]:[m01] [ZN]')*). The following times are too late: (Unit Back in Service Date/Time current, Unit Back at Home Location Date/Time current, EMS Call Completed Date/Time current)

eHistory.19 - Last Oral Intake

Warning Date/Times should be in order. The following times are too early: (Date/Time Decision to Manage the Patient with an Invasive Airway, Date/Time Invasive Airway Placement Attempts Abandoned, Date/Time of Hospital Admission, Date/Time of Hospital Discharge, Dispatch Notified Date/Time, Unit Notified by Dispatch Date/Time, Dispatch Acknowledged Date/Time, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Transfer of EMS Patient Care Date/Time, Unit Left Scene Date/Time, Arrival at Destination Landing Area Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time, Unit Back in Service Date/Time, Unit Canceled Date/Time, Unit Back at Home Location Date/Time, EMS Call Completed Date/Time)

Warning Date/Times should not be in the future (the current time according to this system is *format-dateTime(current-dateTime(), '[MNn] [D1], [Y0001], [H01]:[m01] [ZN]')*). The following times are too late: (Unit Back in Service Date/Time current, Unit Back at Home Location Date/Time current, EMS Call Completed Date/Time current)

eVitals.01 - Date/Time Vital Signs Taken

Warning When a set of vital signs is obtained, the following should be recorded: (Date/Time Vital Signs Taken)

Warning Date/Time Vital Signs Taken should be no earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".

Warning When Obtained Prior to this Unit's EMS Care is "Yes," Date/Time Vital Signs Taken should be no later than Arrived at Patient Date/Time.

Warning Date/Time Vital Signs Taken should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

eVitals.02 - Obtained Prior to this Unit's EMS Care

Warning When a set of vital signs is obtained, the following should be recorded: (Date/Time Vital Signs Taken)



Warning [Date/Time Vital Signs Taken](#) should be no earlier than [Arrived at Patient Date/Time](#), unless [Obtained Prior to this Unit's EMS Care](#) is "Yes".

Warning When [Obtained Prior to this Unit's EMS Care](#) is "Yes," [Date/Time Vital Signs Taken](#) should be no later than [Arrived at Patient Date/Time](#).

Warning [Date/Time Vital Signs Taken](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

eLabs.01 - Date/Time of Laboratory or Imaging Result

Warning [Date/Time of Laboratory or Imaging Result](#) should be no earlier than [Arrived at Patient Date/Time](#), unless [Study/Result Prior to this Unit's EMS Care](#) is "Yes".

Warning When [Study/Result Prior to this Unit's EMS Care](#) is "Yes," [Date/Time of Laboratory or Imaging Result](#) should be no later than [Arrived at Patient Date/Time](#).

Warning [Date/Time of Laboratory or Imaging Result](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

eLabs.02 - Study/Result Prior to this Unit's EMS Care

Warning [Date/Time of Laboratory or Imaging Result](#) should be no earlier than [Arrived at Patient Date/Time](#), unless [Study/Result Prior to this Unit's EMS Care](#) is "Yes".

Warning When [Study/Result Prior to this Unit's EMS Care](#) is "Yes," [Date/Time of Laboratory or Imaging Result](#) should be no later than [Arrived at Patient Date/Time](#).

Warning [Date/Time of Laboratory or Imaging Result](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

eExam.AssessmentGroup - Date/Time of Assessment

Warning Dummy report needed to make this rule valid. This report will never succeed.

Warning Dummy report needed to make this rule valid. This report will never succeed.

eExam.03 - Date/Time of Assessment

Warning [Date/Time of Assessment](#) should be no earlier than [Arrived at Patient Date/Time](#).

Warning [Date/Time of Assessment](#) should be no later than [Transfer of EMS Patient Care Date/Time](#) or [Destination Patient Transfer of Care Date/Time](#).

eMedications.01 - Date/Time Medication Administered

Warning When a medication is administered, the following should be recorded: ([Date/Time Medication](#)



Administered, Medication Given

Warning Date/Time Medication Administered should be no earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

Warning When Medication Administered Prior to this Unit's EMS Care is "Yes," Date/Time Medication Administered should be no later than Arrived at Patient Date/Time.

Warning Date/Time Medication Administered should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

eMedications.02 - Medication Administered Prior to this Unit's EMS Care

Warning When a medication is administered, the following should be recorded: (Date/Time Medication Administered, Medication Given)

Warning Date/Time Medication Administered should be no earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

Warning When Medication Administered Prior to this Unit's EMS Care is "Yes," Date/Time Medication Administered should be no later than Arrived at Patient Date/Time.

Warning Date/Time Medication Administered should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

eMedications.03 - Medication Given

Warning When a medication is administered, the following should be recorded: (Date/Time Medication Administered, Medication Given)

Error When Medication Given / Procedure has a Pertinent Negative, it should have a value and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

eProcedures.01 - Date/Time Procedure Performed

Warning When a procedure is performed, the following should be recorded: (Date/Time Procedure Performed, Procedure)

Warning Date/Time Procedure Performed should be no earlier than Arrived at Patient Date/Time or Date/Time Initial Responder Arrived on Scene, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".

Warning When Procedure Performed Prior to this Unit's EMS Care is "Yes," Date/Time Procedure Performed should be no later than Arrived at Patient Date/Time.

Warning Date/Time Procedure Performed should be no later than Transfer of EMS Patient Care Date/Time.



Date/Time or Destination Patient Transfer of Care Date/Time.

eProcedures.02 - Procedure Performed Prior to this Unit's EMS Care

Warning When a procedure is performed, the following should be recorded: (Date/Time Procedure Performed, Procedure)

Warning Date/Time Procedure Performed should be no earlier than Arrived at Patient Date/Time or Date/Time Initial Responder Arrived on Scene, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".

Warning When Procedure Performed Prior to this Unit's EMS Care is "Yes," Date/Time Procedure Performed should be no later than Arrived at Patient Date/Time.

Warning Date/Time Procedure Performed should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

eProcedures.03 - Procedure

Warning When a procedure is performed, the following should be recorded: (Date/Time Procedure Performed, Procedure)

Error When Medication Given / Procedure has a Pertinent Negative, it should have a value and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

eAirway.AirwayGroup - Indications for Invasive Airway

Warning Date/Times should be in order. The following times are too early: (Date/Time Decision to Manage the Patient with an Invasive Airway, Date/Time Invasive Airway Placement Attempts Abandoned, Date/Time of Hospital Admission, Date/Time of Hospital Discharge, Dispatch Notified Date/Time, Unit Notified by Dispatch Date/Time, Dispatch Acknowledged Date/Time, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Transfer of EMS Patient Care Date/Time, Unit Left Scene Date/Time, Arrival at Destination Landing Area Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time, Unit Back in Service Date/Time, Unit Canceled Date/Time, Unit Back at Home Location Date/Time, EMS Call Completed Date/Time)

Warning Date/Times should not be in the future (the current time according to this system is `formatDateTime(current-dateTime(), '[MNn] [D1], [Y0001], [H01]:[m01] [ZN]')`). The following times are too late: (Unit Back in Service Date/Time_current, Unit Back at Home Location Date/Time_current, EMS Call Completed Date/Time_current)

eAirway.10 - Date/Time Decision to Manage the Patient with an Invasive Airway

Warning Date/Times should be in order. The following times are too early: (Date/Time Decision to Manage the Patient with an Invasive Airway, Date/Time Invasive Airway Placement Attempts Abandoned)



Abandoned, Date/Time of Hospital Admission, Date/Time of Hospital Discharge, Dispatch Notified Date/Time, Unit Notified by Dispatch Date/Time, Dispatch Acknowledged Date/Time, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Transfer of EMS Patient Care Date/Time, Unit Left Scene Date/Time, Arrival at Destination Landing Area Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time, Unit Back in Service Date/Time, Unit Canceled Date/Time, Unit Back at Home Location Date/Time, EMS Call Completed Date/Time)

Warning Date/Times should not be in the future (the current time according to this system is *format-dateTime(current-dateTime(), '[MNn] [D1], [Y0001], [H01]:[m01] [ZN]')*). The following times are too late: (Unit Back in Service Date/Time current, Unit Back at Home Location Date/Time current, EMS Call Completed Date/Time current)

eAirway.11 - Date/Time Invasive Airway Placement Attempts Abandoned

Warning Date/Times should be in order. The following times are too early: (Date/Time Decision to Manage the Patient with an Invasive Airway, Date/Time Invasive Airway Placement Attempts Abandoned, Date/Time of Hospital Admission, Date/Time of Hospital Discharge, Dispatch Notified Date/Time, Unit Notified by Dispatch Date/Time, Dispatch Acknowledged Date/Time, Unit En Route Date/Time, Unit Arrived on Scene Date/Time, Arrived at Patient Date/Time, Transfer of EMS Patient Care Date/Time, Unit Left Scene Date/Time, Arrival at Destination Landing Area Date/Time, Patient Arrived at Destination Date/Time, Destination Patient Transfer of Care Date/Time, Unit Back in Service Date/Time, Unit Canceled Date/Time, Unit Back at Home Location Date/Time, EMS Call Completed Date/Time)

Warning Date/Times should not be in the future (the current time according to this system is *format-dateTime(current-dateTime(), '[MNn] [D1], [Y0001], [H01]:[m01] [ZN]')*). The following times are too late: (Unit Back in Service Date/Time current, Unit Back at Home Location Date/Time current, EMS Call Completed Date/Time current)

eDevice.02 - Date/Time of Event (per Medical Device)

Warning Date/Time of Event (per Medical Device) should be no earlier than Arrived at Patient Date/Time.

Warning Date/Time of Event (per Medical Device) should be no later than Transfer of EMS Patient Care Date/Time or Destination Patient Transfer of Care Date/Time.

eDisposition.DestinationGroup - Destination/Transferred To, Name

Error Based on Incident/Patient Disposition, the following should be recorded: (EMS Transport Method, Transport Mode from Scene, Reason for Choosing Destination, Type of Destination)

Warning Based on Incident/Patient Disposition, the following should be recorded: (Reason CPR/Resuscitation Discontinued, Destination State, Destination County, Destination ZIP)



[Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

eDisposition.05 - Destination State

Warning [Destination County](#) should belong within the [Destination State](#).

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

eDisposition.06 - Destination County

Warning [Destination County](#) should belong within the [Destination State](#).

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

eDisposition.07 - Destination ZIP Code

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport](#)



Method, Transport Mode from Scene, Reason for Choosing Destination, Type of Destination)

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason](#)
[CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP](#)
[Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP](#)
[Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location](#)
[Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ](#)
[System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route](#)
[Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene](#)
[Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care](#)
[Date/Time](#))

eDisposition.12 - Incident/Patient Disposition

Warning Dummy report needed to make this rule valid. This report will never succeed.

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport](#)
[Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason](#)
[CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP](#)
[Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP](#)
[Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location](#)
[Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ](#)
[System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route](#)
[Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene](#)
[Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care](#)
[Date/Time](#))

eDisposition.16 - EMS Transport Method

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport](#)
[Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason](#)
[CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP](#)
[Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP](#)
[Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location](#)
[Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ](#)
[System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route](#)
[Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene](#)
[Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care](#)
[Date/Time](#))

eDisposition.17 - Transport Mode from Scene



Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

eDisposition.19 - Final Patient Acuity

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

eDisposition.20 - Reason for Choosing Destination

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

eDisposition.21 - Type of Destination



Warning When [Type of Destination](#) is "Hospital-Non-Emergency Department Bed", [Hospital In-Patient Destination](#) should be recorded.

Warning When [Type of Destination](#) is "Hospital..." or "Freestanding Emergency Department", [Hospital Capability](#) should be recorded.

Warning When [Type of Destination](#) is not "Hospital..." or "Freestanding Emergency Department", the following should be "Not Applicable": ([Hospital In-Patient Destination](#), [Hospital Capability](#))

Error Based on [Incident/Patient Disposition](#), the following should be recorded: ([EMS Transport Method](#), [Transport Mode from Scene](#), [Reason for Choosing Destination](#), [Type of Destination](#))

Warning Based on [Incident/Patient Disposition](#), the following should be recorded: ([Reason CPR/Resuscitation Discontinued](#), [Destination State](#), [Destination County](#), [Destination ZIP Code](#), [Final Patient Acuity](#), [Patient's Home County](#), [Patient's Home State](#), [Patient's Home ZIP Code](#), [Gender](#), [Race](#), [Age](#), [Age Units](#), [Primary Method of Payment](#), [Incident Location Type](#), [Possible Injury](#), [Chief Complaint Anatomic Location](#), [Chief Complaint Organ System](#), [Primary Symptom](#), [Provider's Primary Impression](#), [Initial Patient Acuity](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Unit Left Scene Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#))

eDisposition.22 - Hospital In-Patient Destination

Warning When [Type of Destination](#) is "Hospital-Non-Emergency Department Bed", [Hospital In-Patient Destination](#) should be recorded.

Warning When [Type of Destination](#) is "Hospital..." or "Freestanding Emergency Department", [Hospital Capability](#) should be recorded.

Warning When [Type of Destination](#) is not "Hospital..." or "Freestanding Emergency Department", the following should be "Not Applicable": ([Hospital In-Patient Destination](#), [Hospital Capability](#))

eDisposition.23 - Hospital Capability

Warning When [Type of Destination](#) is "Hospital-Non-Emergency Department Bed", [Hospital In-Patient Destination](#) should be recorded.

Warning When [Type of Destination](#) is "Hospital..." or "Freestanding Emergency Department", [Hospital Capability](#) should be recorded.

Warning When [Type of Destination](#) is not "Hospital..." or "Freestanding Emergency Department", the following should be "Not Applicable": ([Hospital In-Patient Destination](#), [Hospital Capability](#))

eDisposition.25 - Date/Time of Destination Prearrival Alert or Activation



Warning [Date/Time of Destination Prearrival Alert or Activation](#) should be no earlier than [Unit Notified by Dispatch Date/Time](#).

Warning [Date/Time of Destination Prearrival Alert or Activation](#) should be no later than [Destination Patient Transfer of Care Date/Time](#), [Unit Back in Service Date/Time](#), or [Unit Back at Home Location Date/Time](#).

eOutcome.11 - Date/Time of Hospital Admission

Warning Date/Times should be in order. The following times are too early: ([Date/Time Decision to Manage the Patient with an Invasive Airway](#), [Date/Time Invasive Airway Placement Attempts Abandoned](#), [Date/Time of Hospital Admission](#), [Date/Time of Hospital Discharge](#), [Dispatch Notified Date/Time](#), [Unit Notified by Dispatch Date/Time](#), [Dispatch Acknowledged Date/Time](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Transfer of EMS Patient Care Date/Time](#), [Unit Left Scene Date/Time](#), [Arrival at Destination Landing Area Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#), [Unit Back in Service Date/Time](#), [Unit Canceled Date/Time](#), [Unit Back at Home Location Date/Time](#), [EMS Call Completed Date/Time](#))

Warning Date/Times should not be in the future (the current time according to this system is `formatDateTime(current-dateTime(), '[MNn] [D1], [Y0001], [H01]:[m01] [ZN]')`). The following times are too late: ([Unit Back in Service Date/Time](#) `_current`, [Unit Back at Home Location Date/Time](#) `_current`, [EMS Call Completed Date/Time](#) `_current`)

eOutcome.16 - Date/Time of Hospital Discharge

Warning Date/Times should be in order. The following times are too early: ([Date/Time Decision to Manage the Patient with an Invasive Airway](#), [Date/Time Invasive Airway Placement Attempts Abandoned](#), [Date/Time of Hospital Admission](#), [Date/Time of Hospital Discharge](#), [Dispatch Notified Date/Time](#), [Unit Notified by Dispatch Date/Time](#), [Dispatch Acknowledged Date/Time](#), [Unit En Route Date/Time](#), [Unit Arrived on Scene Date/Time](#), [Arrived at Patient Date/Time](#), [Transfer of EMS Patient Care Date/Time](#), [Unit Left Scene Date/Time](#), [Arrival at Destination Landing Area Date/Time](#), [Patient Arrived at Destination Date/Time](#), [Destination Patient Transfer of Care Date/Time](#), [Unit Back in Service Date/Time](#), [Unit Canceled Date/Time](#), [Unit Back at Home Location Date/Time](#), [EMS Call Completed Date/Time](#))

Warning Date/Times should not be in the future (the current time according to this system is `formatDateTime(current-dateTime(), '[MNn] [D1], [Y0001], [H01]:[m01] [ZN]')`). The following times are too late: ([Unit Back in Service Date/Time](#) `_current`, [Unit Back at Home Location Date/Time](#) `_current`, [EMS Call Completed Date/Time](#) `_current`)

eCustomResults.01 - Custom Data Element Result

Warning Dummy report needed to make this rule valid. This report will never succeed.



Warning Dummy report needed to make this rule valid. This report will never succeed.

General Validation Messages (may apply to many elements)

- Error When (*Element*) has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
- Error When (*Element*) is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
- Error When (*Element*) has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

Warning When (*Element*) has a Not Value, no other (*Element*) should be recorded.

Warning When (*Element*) has a Pertinent Negative, no other (*Element*) should be recorded.

Additional data reduction methods applied to the data warehouse and public extracts:

For all 1:Many and Many:Many elements:

- 1) If a patient record has both null values and non-null values, exclude 1:Many records with null values.
- 2) If a patient record has multiple null values listed but does not have any non-null values, keep only the first null value listed and exclude all other 1:Many records with null values.
- 3) If a patient record has multiple non-null values listed and the same exact 1:Many value is listed multiple times, keep that specific value only for the 1st 5 times it is listed; exclude all other repetitions of the value.

Other value limits: (usually based upon the number of possible values, excluding null and NOT values, contained within an element.)

- eHistory.17 - shall have no more than **six** values per event.
- eArrest.14 - time before 2017.01.01 set to null, keep 2018.01.01
- eArrest.03 - shall have no more than **three** values per event.
- eArrest.04 - shall have no more than **three** values per event.
- eInjury.01 - shall have no more than **five** values per event.
- eDisposition.20 - shall have no more than **six** values per event.
- eDisposition.25 - time before 2017.01.01 set to null, keep 2018.01.01
- eDisposition.07 - all 00000 set to 'not recorded'
- eSituation.11 - shall have no more than **14** values per event.
- eSitution.12 - shall have no more than **14** values per event.
- eInjury.04 - shall have no more than **six** values per event.



eMedication.03 - shall have no more than **29** values per event.
eMedication.01 - time before 2017.01.01 set to null, keep 2018.01.01
eProcedure.03 - shall have no more than **29** values per event.
eProcedure.01 - time before 2017.01.01 set to null, keep 2018.01.01
eResponse.24 - shall have no more than **seven** values per event.
eSituation.01 - removed time after 2017.12.31
eScene.19 - set all 00000 to not recorded
eSituation.09 - shall have no more than **20** values per event.
eSituation.10 - shall have no more than **20** values per event.
eTimes01 - eTimes.13 time before 2017.01.01 set to null, keep 2018.01.01
eDisposition.18 - shall have no more than **five** values per event.
eInjury.03 - shall have no more than **seven** values per event.
eResponse.12 - shall have no more than **nine** values per event.
eOther.05 - shall have no more than **two** values per event.
ePatient.14 - shall have no more than **six** values per event.
eProcedure.07 - shall have no more than **nine** values per event.
Vital Signs - shall have no more than **30** values per event.
eVitals.05 - shall have no more than **three** values per event.

Derived elapsed times are excluded from the dataset if outside the range listed below.

EmsDispatchCenterTimeSec	0-3599 in seconds
EmsChuteTimeMin	0-60 in minutes
EmsSystemResponseTimeMin	0-1499 in minutes
EmsSceneResponseTimeMin	0-1499 in minutes
EmsSceneTimeMin	0-1499 in minutes
EmsSceneToPatientTimeMin	0-779 in minutes
EmsTransportTimeMin	0-1499 in minutes
EmsTotalCallTimeMin	0-1499 in minutes



APPENDIX C:

2018 CONTRIBUTING STATES

ALASKA
ALABAMA
ARKANSAS
ARIZONA
CALIFORNIA
COLORADO
DISTRICT OF COLUMBIA
FLORIDA
GEORGIA
GUAM
IOWA
ILLINOIS
INDIANA
KANSAS
KENTUCKY
MAINE
MINNESOTA
MONTANA
NEBRASKA
NEW JERSEY
NEW MEXICO
NEVADA
OKLAHOMA
OREGON
PENNSYLVANIA
RHODE ISLAND
SOUTH CAROLINA
SOUTH DAKOTA
UTAH
VIRGINIA
VIRGIN ISLANDS
VERMONT
WASHINGTON
WISCONSIN
WYOMING

APPENDIX D:
EXTENDED DEFINITION DOCUMENT, VERSION 3.4.0
(CLICK HYPERLINK)



EXTENDED DATA DEFINITIONS

May 2016

NEMSIS Version 3.4.0

This document represents an effort to continue the process of defining field values, which was started with NEMSIS v2.2.1. The NASEMSO Data Managers Council (DMC), with help from the NEMSIS Technical Assistance Center (TAC), built off the extended data definitions contained in the 2008 Extended Definition Document, NEMSIS 2.2, to create value definitions contained in the NEMSIS v3.4.0 dataset.

The DMC and NEMSIS TAC are confident that this document will continue to promote the development, standardization, and improvement of state and national EMS data systems.

APPENDIX E: COMPUTED VARIABLE DESCRIPTION LIST*

Variable Name	Short Variable Definition
AgeinYears	Age in Years, computed from Age and Age Units
EMSDispatchCenterTimeSec	Time difference in minutes between eTimes.03 and eTimes.01. Note: if > 60 minutes, set to null.
EMSChuteTimeMin	Time difference in minutes between eTimes.03 and eTimes.05. Note: if > 60 minutes, set to null.
EMSSystemResponseTimeMir	Time difference in minutes between eTimes.03 and eTimes.06. Note: if > 24 hours, set to null.
EMSSceneResponseTimeMin	Time difference in minutes between eTimes.06 and eTimes.05. Note: if > 24 hours, set to null.
EMSSceneTimeMin	Time difference in minutes between eTimes.06 and eTimes.09. Note: if > 24 hours, set to null.
EMSSceneToPatientTimeMin	Time difference in minutes between eTimes.06 and eTimes.07. Note: if > 12 hours, set to null.
EMSTransportTimeMin	Time difference in minutes between eTimes.09 and eTimes.11. Note: if > 24 hours, set to null.
EMSTotalCallTimeMin	Time difference in minutes between eTimes.13 and eTimes.03. Note: if > 24 hours, set to null.
USCensusRegion	Stratifies events into the five major U.S. Census regions
USCensusDivision	Stratifies events into the ten U.S. Census divisions
NasemsoRegion	Stratifies events into the four NASEMSO regions
Urbanicity	Stratifies events by four Urbanicity Codes, based upon USDA Urban Influence Codes

* For all elapsed times, negative elapsed times and zero values set to null.